arXiv:math/0703255v1 [math.CO] 9 Mar 2007

Some binomial identities related to Calabi-Yau differential equations

Gert Almkvist.

February 2, 2008

In [1] we found some 300 new differential equations of Calabi-Yau type. Most of them were found by using Maple's "Zeilberger" on the coefficients A_n of the the analytic solution $y_0 = \sum_{n=0}^{\infty} A_n z^n$. Sometimes rather different sums of products of binomial coefficients gave the same recursionformula and also the same A_n.These cases are listed here with the same numbering as in [1]. Even more often did it happen for double sums (here we did not use "Zeilberger"). All identities containing only simple sums are proved by the Zeilberger machinery. A'_n denotes coefficients of fifth order equations. At the end of the paper we also list some formulas for A_n obtained as the constant term of the n-th power of a Laurent polynomial coming from a reflexive polytope in $\mathbf{R}^4$. These formulas were found in collaboration with Victor Batyrev, Max Kreuzer and Duco van Straten.

We also list some "ghost formulas" for "A_n" where "Zeilberger" gives the same recursion formula as for A_n but "A_n" is certainly not equal to A_n. Here is an example of this phenomen:

Let

$$"A_n" = \left\{\frac{(3n)!}{n!^3}\right\}^b \sum_k (-1)^{n+k(b+c)} k^{-c} (k+\frac{n}{2})(k-n)^b \binom{k+2n}{3n}^b \binom{n+k}{n}^{-c}$$

which usually is divergent. Then $y_0 = \sum_{n=0}^{\infty} "A_n" z^n$ "satisfies" the following differential equations ($\theta = z\frac{d}{dz}$)

b	c	differential equation
1	4	$\theta^2 - z(11\theta^2 + 11\theta + 3) + z^2(\theta+1)^2$
1	5	$\theta^3 + z(2\theta+1)(17\theta^2 + 17\theta + 5) + z^2(\theta+1)^3$
1	6	#198
1	7	diff. eq. of $\zeta(5)$.and $\zeta(3)$, see [2] (10.4)
2	3	$\theta^2 - 3z^2(3\theta+2)(3\theta+4)$
2	4	$\theta^3 - z(2\theta+1)(13\theta^2 + 13\theta + 4) - 3z^2(\theta+1)(3\theta+2)(3\theta+4)$
2	5	#195
2	6	#32

In [2] it is explained that the correct formula for the coefficients of the solutions of the differential equations above are

$$A_n = \left\{\frac{(3n)!}{n!^3}\right\}^b \sum_{k=0}^{n} \binom{n}{k}^c \binom{3n}{n+k}^{-b} \{1 + k(-cH_k + cH_{n-k} + bH_{n+k} - bH_{2n-k})\}$$

where

$$H_k = \sum_{j=1}^{n} \frac{1}{j}$$

and $H_k = 0$ if $k \leq 0$. In [2] most formulas of type

$$"A_n" = \sum_k (n-2k)C(n,k)$$

where $C(n, n-k) = C(n,k)$ are converted to harmonic sums and are proved.

First we note the following very simple identity

$$\sum_k \binom{n}{k}^2 \binom{3k}{2n} = \sum_k \binom{n}{k}^2 \binom{2k}{k}$$

which deserves a bijective proof. Not so simple is that these sums also are equal to

$$3^{1-n}\binom{2n}{n} \sum_k (-1)^k \frac{n-2k}{2n-3k} \binom{n}{k}^2 \binom{3n-3k}{2n} \binom{2n}{3k}^{-1}$$

Here are three other identities that do not belong to the differential equations in the table.

$$\sum_k (-1)^{n+k} \binom{n}{k} \binom{n+k}{n}^2 = \sum_k \binom{n}{k}^2 \binom{n+k}{n}$$

$$\sum_k (-1)^{n+k} \binom{n}{k} \binom{n+k}{n} \binom{2n-2k}{n-k} = \frac{(4p)!}{(2p)!p!^2} \text{ if } n = 3p,\ 0 \text{ otherwise}$$

$$\sum_k (-1)^{n+k} \binom{n}{k} \binom{n+k}{n} \binom{2n-k}{n} = \frac{(3p)!}{p!^3} \text{ if } n = 2p,\ 0 \text{ otherwise}$$

3.

$$A_n = \binom{2n}{n}^4$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k}^2 \binom{n+k}{k} \binom{2n+k}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{2n}{j}$$

15.

$$A_n = \frac{(3n)!}{n!^3} \sum_k \binom{n}{k}^3$$

$$A_n = \binom{3n}{n} \sum_k \binom{n}{k} \binom{n+k}{n} \binom{2n-2k}{n} \binom{2n}{n+k}$$

$$A_n = 2^{-n}\binom{2n}{n}\sum_k \binom{n}{k}\binom{n+k}{n}\binom{2k}{n}\binom{3n}{n+k}\binom{2n}{2k}^{-1}$$

$$A_n = \sum_k \binom{n}{k}^2\binom{n+k}{k}\binom{2n-k}{n}\binom{3n}{n+k}$$

$$A_n = \sum_k \binom{n}{k}\binom{n+k}{n}\binom{2n-k}{n}\binom{3n}{n+k}\binom{2k}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{2i}{n}\binom{2n}{i}\binom{2n}{j}$$

16.

$$A_n = \binom{2n}{n}\sum_{i+j+k+l=n}\left\{\frac{n!}{i!j!k!l!}\right\}^2$$

$$A_n = \binom{2n}{n}\sum_k \binom{n}{k}^2\binom{2k}{k}\binom{2n-2k}{n-k}$$

$$A_n = \sum_k \binom{2n}{2k}\binom{2k}{k}^2\binom{2n-2k}{n-k}^2$$

$$A_n = 4^{-n}\binom{2n}{n}\sum_k \binom{n}{k}^{-2}\binom{2k}{k}^3\binom{2n-2k}{n-k}^3$$

$$A_n = \binom{2n}{n}^2\sum_k (-)^{n+k}\binom{n}{k}^2\binom{2k}{k}\binom{k}{n-k}\binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}\sum_k (-1)^{n+k}\binom{n}{k}\binom{2k}{k}\binom{2n-2k}{n-k}\binom{2k}{n}$$

$$A_n = \sum_k \binom{n}{k}\binom{2n-k}{n}\binom{2k}{k}\binom{2n-2k}{n-k}\binom{2n}{k}$$

$$A_n = \sum_k \binom{n}{k}\binom{n+k}{n}\binom{2k}{k}\binom{2n-2k}{n-k}\binom{2n}{n-k}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{2j}{j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{i}{j}^3\binom{2n-i}{n}$$

$$A_n = (-1)^n\binom{2n}{n}\sum_{i,j}(-8)^{n-i}\binom{n}{i}\binom{i}{j}^3\binom{n+i}{n}$$

$$A_n = (-1)^n\binom{2n}{n}\sum_{i,j}(-8)^{n-i}\binom{n}{i}\binom{i}{j}^3\binom{2i}{n}$$

$$A_n = (-1)^n \binom{2n}{n} \sum_{i,j} (-8)^{n-i} \binom{n}{i} \binom{i}{j}^2 \binom{n+i}{n} \binom{2j}{i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{n+i+j} 4^{n-i-j} \binom{n}{i} \binom{i}{j} \binom{2i}{i} \binom{2j}{j} \binom{n+i+j}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{n+i+j} 4^{n-i-j} \binom{n}{i} \binom{i}{j} \binom{2i}{i} \binom{2j}{j} \binom{n+i+j}{n+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{n+i+j} 4^{n-i-j} \binom{n}{i} \binom{i}{j} \binom{2i}{i} \binom{2j}{j} \binom{n+i+j}{n+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{n+i+j} 4^{n-i-j} \binom{n}{i} \binom{i}{j} \binom{2i}{i} \binom{2j}{j} \binom{2n-i-j}{n}$$

18.

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k}^4$$

$$A_n = \binom{2n}{n} \sum_k \binom{2k}{k} \binom{2n-2k}{n-k} \binom{k}{n-k} \binom{2n-k}{k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k} \binom{2k}{k} \binom{2n-2k}{n} \binom{n+k}{n-k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k}^2 \binom{2k}{n} \binom{2n-2k}{n}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k} \binom{2k}{k} \binom{2k}{n} \binom{k}{n-k}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^k \binom{n}{k}^2 \binom{2k}{k} \binom{n+k}{n-k} \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^k \binom{n}{k}^3 \binom{2n-k}{n} \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^{n+k} \binom{n}{k}^2 \binom{2k}{k} \binom{2n-2k}{n-k} \binom{2n}{k}^{-1}$$

$$A_n = \binom{2n}{n} \sum_k (-1)^{n+k} \binom{n}{k}^2 \binom{n+k}{n} \binom{2n-k}{n} \binom{2n}{k} \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n} \sum_k (-1)^k \binom{n}{k}^2 \binom{2n-k}{n}^2 \binom{2n}{k} \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{2j}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n-j}{i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{j} \binom{2i}{n} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i}{j} \binom{n+i-j}{n} \binom{j}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^j 4^{n-j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{2j}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^j 4^{n-j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{n} \binom{2j}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j+n} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{2n-j}{n} \binom{i+j}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j+n} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{2n-j}{n} \binom{i+j}{j}$$

$$A_n = \binom{2n}{n} \sum_{k} (-1)^{n+k} \binom{n}{k} \binom{n+k}{n} \binom{2k}{k} \binom{2n-2k}{n-k}$$

$$\text{”}A_n\text{”} = \binom{2n}{n} \sum_{k} k^{-4} \binom{n+k}{n}^{-4}$$

$$\text{”}A_n\text{”} = \binom{2n}{n} \sum_{k} k^{-3} (k-n)^2 \binom{k}{n}^3 \binom{n+k}{n}^{-1}$$

19.

$$A_n = \sum_{k} \binom{n}{k}^3 \binom{n+k}{n} \binom{2n-k}{n}$$

$$A_n = \sum_{k} \binom{n}{k}^2 \binom{2n-k}{n} \binom{2k}{k} \binom{n+k}{n-k}$$

$$A_n = \sum_{i,j} \binom{n}{j}^2 \binom{n}{j}^2 \binom{i}{j} \binom{n+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i}{n} \binom{2j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i+j}{n} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{n-j}{i} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{2j}{n} \binom{n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i}{n-j} \binom{n+i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n-j} \binom{2j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{2j}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i}{n} \binom{i+j}{j} \binom{n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{2j}{n} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{2j}{n} \binom{2n-i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{2j}{n} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-j}{n} \binom{2i}{n} \binom{i+j}{j} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{i} \binom{2j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n+j}{n}^2 \binom{i+j}{n} \binom{3n+1}{n-2j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n+j}{n}^2 \binom{i+j}{n} \binom{2n-i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n+j}{n}^2 \binom{i+j}{n} \binom{2n-i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i+j}{j} \binom{2j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i+j}{n} \binom{n+i-j}{n-j}$$

21.

$$A_n = \sum_k \binom{n}{k}^3 \binom{2k}{k} \binom{2n-2k}{n-k}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j}^2 \binom{2j}{j}$$

$$”A”_n = \sum_k (n-2k) \binom{n}{k}^5 \binom{2k}{n} \binom{2n-2k}{n}$$

22.

$$A_n = \sum_k \binom{n}{k}^5$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i}{j} \binom{i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2i}{n} \binom{2n-i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n} \binom{2j}{n}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^3 \binom{n+j}{n}^2 \binom{2n+1}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-i}{n} \binom{i}{j} \binom{i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{2j}{n} \binom{n+i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{2j}{n} \binom{2n-i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n} \binom{i+j}{j} \binom{2i}{n} \binom{n}{i+j}$$

$$”A_n” = \sum_k (-1)^k k^{-5} \binom{n+k}{n}^{-5}$$

24.

$$A_n = \frac{(3n)!}{n!^3} \sum_k \binom{n}{k}^2 \binom{n+k}{n}$$

$$A_n = \sum_k (-1)^{n+k} \binom{n+k}{n}^3 \binom{2n-k}{n} \binom{3n}{n+k}$$

$$\text{”}A\text{”}_n = \binom{2n}{n}^2 \sum_k (-1)^k k^{-3} \binom{n}{k}^{-1} \binom{n+k}{n}^{-2}$$

$$\text{”}A_n\text{”} = \left\{ \frac{(3n)!}{n!^3} \right\}^2 \sum_k (-1)^{n+k} (n-k) k^{-2} \binom{n}{k} \binom{2n+k}{3n} \binom{n+k}{n}^{-3}$$

25.

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k}^2 \binom{n+k}{n}$$

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k} \binom{2k}{k} \binom{n+k}{n-k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k} \binom{n+k}{n} \binom{2n-k}{n} \binom{2n}{k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k} \binom{n+k}{n} \binom{2n-k}{n} \binom{2n}{n-k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k}^2 \binom{2k}{n} \binom{n+2k}{n}$$

$$A_n = \binom{2n}{n}^3 \sum_k (-1)^{n+k} \binom{n}{k}^2 \binom{2n-k}{n} \binom{2n}{k}^{-1}$$

$$A_n = \binom{2n}{n}^4 \sum_k (-1)^k \binom{n}{k}^3 \binom{2n}{k}^{-2}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^k \binom{n}{k} \binom{n+k}{n}^2$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{3n-i}{n}$$

$$A_n = \sum_{i.j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i}{n} \binom{n+i-j}{n} \binom{2n}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{2n+i-j}{2n} \binom{2n}{i} \binom{2n}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{n+i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n+j}{2n} \binom{n+i}{n+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i-j}{n-j} \binom{n+i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{2n-i-j}{i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i-j}{n-j} \binom{n+i}{n+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i-j}{n-j} \binom{n+i}{j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{2n-j}{n} \binom{2n+1}{i-j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n} \binom{2n+1}{i-j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n}^2 \binom{n+i-j}{n}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n}^2 \binom{2n+i+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n}^3 \binom{2n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n}^2 \binom{3n-i-j}{n} \binom{2n}{i+j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n}^2 \binom{2n+j}{n} \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n}^2 \binom{3n-i}{n} \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n}^2 \binom{3n-i}{n} \binom{3n+1}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n} \binom{2n+j}{n} \binom{3n+1}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{j} \binom{n}{i}^2 \binom{n+j}{n} \binom{n+i}{n} \binom{3n+1}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{j} \binom{n}{i}^2 \binom{n+j}{n} \binom{2n-i}{n} \binom{3n+1}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n}^3$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n} \binom{n}{2j-i}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{n+2j}{2n} \binom{n}{2j-i}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n}^2 \binom{n+i+j}{n}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{i}{j} \binom{2j}{j} \binom{2j}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2i}{n} \binom{2i}{n-j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2i}{n+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{2n+i-j}{i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n+i}{n} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{2n+j}{n} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n-i}{j} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{j} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n+i}{n} \binom{n+j}{n} \binom{i+j}{j} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n} \binom{n+j}{n} \binom{i+j}{j} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{2n+j}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{3n-i}{n} \binom{n}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n}^2 \binom{n}{i-j}$$

$$\text{"}A_n\text{"} = \binom{2n}{n}^2 \sum_k k^{-3} \binom{n}{k}^{-2} \binom{n+k}{n}^{-1}$$

$$\text{"}A_n\text{"} = (2n+1)^{-2} \sum_k \binom{n+k}{n}^3 \binom{2n+k+1}{k}^{-2}$$

$$\text{"}A_n\text{"} = (2n+1)^{-1} \binom{2n}{n} \sum_k \binom{n+k}{n}^3 \binom{2n+k+1}{k}^{-1}$$

26.

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k}^2 \binom{n+k}{n} \binom{2k}{n}$$

$$A_n = \sum_k \binom{n}{k} \binom{n+k}{n} \binom{2n-k}{n} \binom{2n}{k} \binom{2k}{n}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k}^2 \binom{2k}{n} \binom{2n-k}{n}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k}^2 \binom{n+k}{k} \binom{2n-k}{n}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k} \binom{n+k}{n} \binom{2n-2k}{n-k} \binom{2n-k}{k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k} \binom{n+k}{n} \binom{2k}{k} \binom{k}{n-k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k} \binom{2k}{k} \binom{2k}{n} \binom{n+k}{n-k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{n}{k} \binom{2k}{k} \binom{2n-k}{n} \binom{n+k}{n-k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{2k}{k} \binom{2n-2k}{n-k} \binom{2n-k}{k} \binom{n+k}{n-k}$$

$$A_n = \sum_k \binom{n}{k} \binom{n+k}{n}^2 \binom{2k}{n} \binom{2n}{n-k}$$

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k}^2 \binom{2n-k}{n} \binom{n+k}{n-k} \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n} \sum_k (-1)^k \binom{n}{k} \binom{2k}{k} \binom{2n-2k}{n-k} \binom{n+2k}{n}$$

$$A_n = \binom{2n}{n} \sum_k (-1)^{n+k+1} \binom{n}{k} \binom{2k}{k} \binom{2n-k}{n} \binom{3n-2k}{n-k}$$

$$A_n = \binom{2n}{n} \sum_k (-1)^k \binom{n}{k} \binom{2k}{k} \binom{2n-2k}{n-k} \binom{3n-2k}{n}$$

$$A_n = \binom{2n}{n}\sum_k (-1)^{n+k}\binom{n+k}{n}^3\binom{3n+1}{n-k}$$

$$A_n = \binom{2n}{n}\sum_k \binom{n+k}{n}^3\binom{3n+1}{n-2k}$$

$$A_n = \frac{(3n+1)!}{n!^3(2n+1)}\sum_k (-1)^{n+k}\binom{n}{k}\binom{n+k}{n}^3\binom{2n+k+1}{k}^{-1}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{i+j}{n}$$

$$A_n = \sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{n+j}{n}\binom{i}{j}\binom{2n}{i}$$

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+j}{n}\binom{n+i-j}{n}\binom{2n}{n-j}$$

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+j}{n}\binom{i+j}{n}\binom{2n}{n-j}$$

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{2n-i}{n}\binom{n+i}{n-j}$$

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{2i}{n}\binom{n+i}{n-j}$$

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+i-j}{n-j}\binom{2n+j}{2n}\binom{n+i}{n+j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{n+i-j}{n}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{n+i-j}{n-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{n+j}{n}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{2n-i}{n}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2n-i}{n}\binom{i}{n-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2i}{n}\binom{i}{n-j}$$

$$A_n = \binom{2n}{n}\sum_{i.j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{i}{n-j}$$

$$A_n = \binom{2n}{n}\sum_{i.j}\binom{n}{i}^2\binom{2n-i}{n}\binom{n+i-j}{n-j}\binom{n+i}{j}$$

$$A_n = \binom{2n}{n}\sum_{i.j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{i}{j}\binom{n}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i.j}\binom{n}{i}\binom{n}{j}\binom{2n-j}{n}\binom{i}{j}\binom{2j}{i}$$

$$A_n = \binom{2n}{n}\sum_{i.j}\binom{n}{i}\binom{i}{j}\binom{2n-j}{n}\binom{2j}{j}\binom{2j}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{2i}{n}$$

$$A_n = \binom{2n}{n}\sum_{i,n}(-1)^{i+j}\binom{2n-i}{n}^2\binom{2n-j}{n}\binom{n+j}{n}\binom{2n+1}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}^2\binom{n+j}{n}^2\binom{3n+1}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{j}\binom{n}{i}^2\binom{i+j}{j}\binom{n+i}{n}\binom{3n+1}{n-j}$$

$$A_n = \sum_{i,j}(-1)^{j}\binom{n}{i}^2\binom{2n-i}{n}\binom{n+i}{n}\binom{n+j}{n}\binom{3n+1}{n-j}$$

$$A_n = \sum_{i,j}(-1)^{n+j}\binom{n}{i}^2\binom{i+j}{n}\binom{n+j}{n}\binom{n+i+j}{n}\binom{3n+1}{n-j}$$

$$A_n = \sum_{i,j}(-1)^{n+j}\binom{n}{i}^2\binom{n+j}{n}^2\binom{n+j}{n}\binom{3n+1}{n-2j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{2n-j}{n}\binom{n}{2j-i}$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{2n-j}{n}\binom{2n-i-j}{n}$$

$$\text{”}A\text{”}_n = \binom{2n}{n}\sum_{k}(n-2k)\binom{n}{k}^6$$

27.

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{i+j}{n}\binom{2n-i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+j}{n} \binom{n+i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2n-i-j}{n-j} \binom{2i+j}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+j}{n} \binom{2n-i}{n}$$

$$A_n = \sum_{i.j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i-j}{n-j} \binom{2n-i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+j}{n} \binom{n+i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{2n-i-j}{n} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{i}{j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-i}{n} \binom{i+j}{j} \binom{i}{n-j}$$

$$A_n = \sum_{i.j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{i+j}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{n-i}{j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2n-i-j}{n} \binom{n+j}{n}$$

28.

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{n}^2$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{2n-i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i+j}{j} \binom{2n-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i}{n} \binom{2n-i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{n} \binom{n+j-i}{n} \binom{2n-i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i+j}{j} \binom{n+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{2j}{j} \binom{i+j}{2j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{n+i-j}{n-j} \binom{i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{2n-i-j}{n} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{i+j}{j} \binom{n+i-j}{i} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{n+i-j}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{2j}{j} \binom{j}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{2n-j}{n} \binom{2j}{j} \binom{i}{j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{2j}{i} \binom{i}{j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{n+i-j}{n} \binom{2i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{n+i-j}{n-j} \binom{2n-i}{n+j}$$

29.

$$A_n = \binom{2n}{n} \sum_{k} \binom{n}{k} \binom{n+k}{n} \binom{2k}{k} \binom{n+k}{n-k}$$

$$A_n = \binom{2n}{n} \sum_{k} \binom{n}{k}^2 \binom{n+k}{n}^2$$

$$A_n = \binom{2n}{n}^2 \sum_{k} \binom{n}{k}^3 \binom{2n-k}{n} \binom{2n}{k}^{-1}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{n+i+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i}{n} \binom{2n+i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n} \binom{2n+i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i+j}{n} \binom{n+i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{n+i}{n} \binom{n+i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{n} \binom{n+i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-i-j}{n-j} \binom{n+i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{n+i}{n+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{2n-j}{n} \binom{i}{j} \binom{2n}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{n+i-j}{n-j} \binom{2n}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{3n-i-j}{n-j} \binom{2n-i}{n+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2n+i-j}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i}{j} \binom{n+i}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n+i}{n} \binom{i}{j}^3$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{i}{j} \binom{n+j}{n} \binom{2j}{j} \binom{2j}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i-j}{n-j} \binom{2i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{n} \binom{n+i+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{n} \binom{2n-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{i+j}{n}^2 \binom{2n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{2j}{j} \binom{i}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{i}{j}^3 \binom{n+i}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j+n} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{i+j}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{n+i+j}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n} \binom{i+j}{n}^2$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{n+i}{n}^2 \binom{n+j}{n}^2 \binom{2n+1}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2n+i-j}{2n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i}{n} \binom{i}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{2n-i}{n+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i-j}{n} \binom{n+i}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{i+j}{n} \binom{n+i}{n}^2 \binom{n+j}{n} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{i+j}{n} \binom{2n-i}{n}^2 \binom{n+j}{n} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} (-1)^j \binom{n}{i}^2 \binom{2n-i}{n}^2 \binom{n+j}{n} \binom{3n+1}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{i+j}{j} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{n+i-j}{n} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{n}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-j}{n} \binom{i}{j} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n}^3 \binom{n}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n} \binom{n+i-j}{n} \binom{n}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n} \binom{i}{j} \binom{2j}{i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n}^2 \binom{n}{2j-i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-j}{n}^2 \binom{n}{2j-i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n}^2 \binom{2n+1}{i-j}$$

$$\text{"}A_n\text{"} = (2n+1)^{-1} \binom{2n}{n}^{-1} \sum_k \binom{n+k}{n}^4 \binom{2n+k+1}{k}^{-2}$$

13*.

$$A_n = 432^n \binom{2n}{n} \sum_k \binom{-1/6}{k}^2 \binom{-5/6}{n-k}^2$$

$$A_n = 432^n \binom{2n}{n} \sum_k (-1)^{n+k} \binom{n}{k} \binom{n+k}{n} \binom{-1/6}{k} \binom{-5/6}{k}$$

13.**

$$A_n = \binom{2n}{n} \sum_k \frac{(6k)!}{(3k)!(2k)!k!} \frac{(6n-6k)!}{(3n-3k)!(2n-2k)!(n-k)!}$$

$$A_n = 432^n \binom{2n}{n} \sum_k \binom{-1/6}{k} \binom{-5/6}{k} \binom{-1/6}{n-k} \binom{-5/6}{n-k}$$

$$A_n = 432^n \binom{2n}{n} \sum_k (-1)^{n+k} \binom{n}{k} \binom{2k}{n} \binom{-1/6}{k} \binom{-5/6}{k}$$

32.

$$A'_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i}{n} \binom{n+j}{n} \binom{i+j}{n}$$

$$A'_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i-j}{n} \binom{n+i-j}{n-j} \binom{2n-j}{n} \binom{n+i}{j}$$

$$A'_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{n+i-j}{n-j} \binom{2n-j}{n} \binom{n+i}{n+j}$$

$$A'_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n}^2 \binom{n+i}{n} \binom{2n-i}{n} \binom{n}{i-j}$$

$$A'_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^3 \binom{n+j}{n}^3 \binom{3n+1}{i-j}$$

$$A'_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{2n-j}{n} \binom{2n-i-j}{n-j} \binom{2n-i}{n+j}$$

$$A'_n = \sum_{i,j} (-1)^j \binom{n}{i}^2 \binom{n+i}{n} \binom{n+j}{n}^2 \binom{n+i+j}{n} \binom{3n+1}{n-j}$$

$$\text{”}A'_n\text{”} = \sum_k (n-2k) \binom{n}{k}^4 \binom{n+k}{n}^2 \binom{2n-k}{n}^2$$

33.

$$A_n = \binom{2n}{n}^2 \sum_k \binom{2n}{k}^3$$

$$A_n = 64^n \binom{2n}{n}^2 \sum_k (-1)^k \binom{2n+k}{2n}^3$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^k \binom{n}{k} \binom{2k}{k} \binom{2n-k}{n} \binom{4n-2k}{2n-k} \binom{n+k}{n}^{-1}$$

$$A_n = \binom{2n}{n}^3 \sum_k (-1)^k \binom{n}{k}^2 \binom{2k}{k} \binom{4n-2k}{2n-k} \binom{2n}{k}^{-1} \binom{n+k}{n}^{-1}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n}{i+j}^2$$

$$\text{”}A_n\text{”} = 64^n \binom{2n}{n}^2 \sum_k k^{-3} \binom{2n}{k}^{-3}$$

$$"A_n" = 16^{-n}\binom{2n}{n}^3\sum_k(-1)^{n+k}\binom{n}{k}\binom{2k}{k}\binom{2n-k}{n}\binom{4n-2k}{2n-k}\binom{n+k}{n}^{-1}\binom{2n}{2k}^{-1}$$

36.

$$A_n = \binom{2n}{n}^2\sum_k\binom{n}{k}\binom{2k}{k}\binom{2n-2k}{n-k}$$

$$A_n = 2^{-n}\binom{2n}{n}^4\sum_k\binom{n}{k}^3\binom{2n}{2k}^{-1}$$

$$A_n = 2^{-n}\binom{2n}{n}\sum_k\binom{n+k}{n}\binom{2k}{k}^2\binom{2n-2k}{n-k}^2\binom{2n}{n-k}\binom{n}{k}^{-2}$$

$$A_n = 2^{-n}\binom{2n}{n}^2\sum_k\binom{n}{k}^{-1}\binom{2k}{k}^2\binom{2n-2k}{n-k}^2$$

38.

$$A_n = \binom{2n}{n}\binom{4n}{2n}\sum_k\binom{n}{k}\binom{2k}{k}\binom{2n-2k}{n-k}$$

$$A_n = 4^{-n}\binom{2n}{n}^2\binom{4n}{2n}\sum_k\binom{n}{k}^3\binom{2n}{2k}^{-1}$$

39.

$$A'_n = \binom{2n}{n}^2\sum_k\binom{n}{k}^2\binom{2k}{k}\binom{2n-2k}{n-k}$$

$$A'_n = \sum_k\binom{n+k}{n}\binom{2n-k}{n}\binom{2k}{k}\binom{2n-2k}{n-k}\binom{2n}{k}\binom{2n}{n-k}$$

$$A'_n = \binom{2n}{n}\sum_k\binom{2n}{2k}\binom{2k}{k}^2\binom{2n-2k}{n-k}^2$$

40.

$$A'_n = \binom{2n}{n}^2\sum_k\binom{2k}{k}^2\binom{2n-2k}{n-k}^2$$

$$A'_n = \binom{2n}{n}\sum_k\binom{n+k}{n}\binom{2n-k}{n}\binom{2k}{k}\binom{2n-2k}{n-k}\binom{2n}{k}\binom{2n}{n-k}\binom{2n}{2k}^{-1}$$

42.

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{k}^2\binom{2k}{n}^2$$

$$A_n = \binom{2n}{n}\sum_k\binom{n}{k}\binom{2k}{k}\binom{2k}{n}\binom{k}{n-k}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i-j}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i+j}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{n} \binom{i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n-i+j}{j} \binom{i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{i}{j} \binom{n}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{i}{j} \binom{2j}{i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2j}{j} \binom{i+j}{2j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{2i}{n+j}$$

44.

$$A'_n = \binom{2n}{n}^2 \sum_{k} \binom{n}{k}^2 \binom{n+k}{n}^2$$

$$A'_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^3 \binom{n+j}{n}^2 \binom{2n+j}{n} \binom{3n+1}{i-j}$$

$$A'_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n}^3 \binom{3n-i}{n} \binom{3n+1}{i-j}$$

$$A'_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{n}^2$$

$$\text{”}A'_n\text{”} = \binom{2n}{n}^2 \sum_{k} k^{-4} \binom{n}{k}^{-2} \binom{n+k}{n}^{-2}$$

$$\text{”}A'_n\text{”} = (2n+1)^{-2} \sum_{k} \binom{n+k}{n}^4 \binom{2n+k+1}{k}^{-2}$$

45.

$$A_n = \binom{2}{n}^2 \sum_{k} \binom{n}{k}^3$$

$$A_n = \sum_k \binom{n}{k}\binom{n+k}{n}\binom{2n-k}{n}\binom{2n}{k}\binom{2n}{n-k}$$

$$A_n = \binom{2n}{n}\sum_k \binom{n}{k}^2\binom{2n-k}{n}\binom{2n}{k}$$

$$A_n = 2^{-n}\binom{2n}{n}^2\sum_k \binom{2k}{k}\binom{2n-2k}{n-k}\binom{2k}{n}$$

$$A_n = \binom{2n}{n}\sum_k \binom{n}{k}\binom{n+k}{n}\binom{2k}{n}\binom{2n}{n-k}$$

$$A_n = \binom{2n}{n}\sum_k \binom{n}{k}\binom{2n-k}{n}\binom{2k}{n}\binom{2n}{k}$$

$$A_n = \binom{2n}{n}^2\sum_k \binom{n}{k}\binom{2k}{k}\binom{k}{n-k}$$

$$A_n = 8^n\binom{2n}{n}^4\sum_k (-1)^k\binom{n}{k}^2\binom{2n-k}{n}\binom{2n}{k}^{-2}$$

$$A_n = 8^n\binom{2n}{n}^5\sum_k (-1)^k\binom{n}{k}^3\binom{2n}{k}^{-3}$$

$$A_n = 8^n\binom{2n}{n}^2\sum_k (-1)^{n-k}\binom{n+k}{n}^3$$

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{2n}{j}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{i}{j}\binom{2n}{i}\binom{2n}{j}$$

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{2j}{n}\binom{n}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{n-j}{i}\binom{n+i}{n-j}$$

$$A_n = \binom{2n}{n}^2\sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{j}{i-j}$$

$$A_n = \binom{2n}{n}^2\sum_{i,j} (-1)^{i+j}\binom{n}{i}\binom{n}{j}^2\binom{n}{2j-i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{2n-i-j}{n-j}\binom{2n}{i+j}$$

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{2n}{n+i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{i}{j} \binom{3n-i}{n} \binom{2n-j}{n}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n-2i}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n} \binom{2n}{n-j} \binom{2n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n} \binom{n+j}{n}^2 \binom{2n+j}{n} \binom{2i}{n} \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{2n-i}{n} \binom{n+j}{n}^2 \binom{2n+j}{n} \binom{3n+1}{i-j}$$

$$\text{"}A_n\text{"} = \binom{2n}{n}^2 \sum_k (-1)^k k^{-3} \binom{n+k}{n}^{-3}$$

$$\text{"}A_n\text{"} = 8^n \binom{2n}{n}^2 \sum_k k^{-3} \binom{n}{k}^{-3}$$

46.

$$A_n = \binom{2n}{n} \sum_k \frac{(3k)!}{k!^3} \frac{(3n-3k)!}{(n-k)!^3}$$

$$A_n = 27^n \binom{2n}{n} \sum_k (-1)^{n+k} \binom{n}{k} \binom{2k}{n} \binom{-1/3}{k} \binom{-2/3}{k}$$

$$A_n = 27^n \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i+j}{n} \binom{-1/3}{i} \binom{-2/3}{j}$$

47

$$A_n = \binom{2n}{n} \sum_k \frac{(6k)!}{(3k)!(2k)!k1} \frac{(6n-6k)!}{(3n-3k)!(2n-2k)!(n-k)!}$$

$$A_n = 432^n \binom{2n}{n} \sum_k (-1)^k \binom{n}{k} \binom{2k}{n} \binom{-1/6}{k} \binom{-5/6}{k}$$

49.

$$A'_n = \frac{(3n)!}{n!^3} \sum_k \binom{2k}{k}^2 \binom{2n-2k}{n-k}^2$$

$$A'_n = \binom{2n}{n}^2 \sum_k \binom{n}{k}^2 \binom{n+k}{n} \binom{2k}{k} \binom{2n-2k}{n-k} \binom{3n}{n+k} \binom{2n}{k}^{-1} \binom{2n}{2k}^{-1}$$

50.

$$A'_n = \frac{(3n)!}{n!^3} \sum_{i+j+k+m=n} \left\{ \frac{n!}{i!j!k!m!} \right\}^2$$

$$A'_n = \frac{(3n)!}{n!^3} \sum_k \binom{n}{k}^2 \binom{2k}{k} \binom{2n-2k}{n-k}$$

$$A'_n = 4^{-n} \frac{(3n)!}{n!^3} \binom{2n}{n}^3 \sum_k \binom{n}{k}^4 \binom{2n}{2k}^{-3}$$

$$A'_n = \binom{2n}{n} \sum_k (-1)^{n+k} \binom{n}{k} \binom{n+k}{n} \binom{2k}{k} \binom{2n-2k}{n-k} \binom{2k}{n} \binom{3n}{n+k} \binom{2n}{k}^{-1}$$

53.

$$A_n = \frac{(3n)!}{n!^3} \sum_k \binom{n}{k}^2 \binom{n+k}{n}^2$$

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k}^3 \binom{n+k}{n} \binom{2n-k}{n} \binom{3n}{n+k} \binom{2n}{k}^{-2}$$

55.

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k}^2 \binom{2n}{2k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{2k}{k} \binom{2n-2k}{n-k} \binom{2n}{2k}^2$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^{n+k} \binom{n}{k} \binom{n+k}{n} \binom{2n}{k} \binom{2n}{n-k} \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k} \binom{2n-k}{n} \binom{2n}{k}^2 \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^{n+k} \binom{n+k}{k} \binom{2n-2k}{n-k} \binom{2n}{n-k} \binom{2n+2k}{n+k} \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n} \sum_k (-1)^{n+k} \binom{n+k}{k} \binom{2n-2k}{n-k} \binom{2n}{n-k} \binom{2n+2k}{n+k}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^k \binom{n}{k} \binom{2k}{k} \binom{4n-2k}{2n-k}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^k \binom{2k}{k} \binom{2n-2k}{n-k} \binom{2n}{k}$$

$$A_n = \binom{2n}{n} \sum_k (-1)^k \binom{2k}{k} \binom{2n}{k}^2 \binom{4n-2k}{2n-k}$$

$$A_n = \binom{2n}{n}^3 \sum_k (-1)^k \binom{n}{k}^2 \binom{2n}{k} \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^k \binom{n}{k} \binom{2n-k}{n} \binom{2n}{k}^2 \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}\sum_k (-1)^k \binom{n+k}{k}^2 \binom{2n}{n+k}^3 \binom{2n}{2k}^{-1}$$

$$A_n = 4^{-n}\binom{2n}{n}^2 \sum_k (-1)^k \binom{n}{k}\binom{2k}{k}\binom{2n-k}{n}\binom{4n-2k}{2n-k}\binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}^3 \sum_k (-1)^k \binom{n}{k}\binom{2k}{k}\binom{2n-2k}{n-k}\binom{n+k}{n}^{-1}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{2i}{n}\binom{2j}{n}\binom{2n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j}\binom{n}{i}\binom{n}{j}^2\binom{n}{2j-i}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{2n}{2j}\binom{n}{2j-i}$$

$$"A_n" = 16^{-n}\binom{2n}{n}^3 \sum_k (-1)^{n+k}\binom{n}{k}\binom{2k}{k}\binom{4n-2k}{2n-k}\binom{2n}{2k}^{-1}$$

58.

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k}^2 \binom{2k}{k}$$

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k}^2 \binom{3k}{2n}$$

$$A_n = 3^{1-n}\binom{2n}{n}^3 \sum_{k=0}^{[n/3]} (-1)^k \frac{n-2k}{2n-3k}\binom{n}{k}^2\binom{3n-3k}{2n}\binom{2n}{3k}^{-1}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{n+j}{i}\binom{3j}{2n}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j}\binom{n}{i}\binom{i}{j}^3$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{2j}{j}\binom{n}{2j-i}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{3j}{2n}\binom{n}{2j-i}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}^2$$

$$"A_n" = 9^n\binom{2n}{n}^2 \sum_k \binom{2k}{k}^2\binom{n+k}{n}\binom{n+k}{n-k}\binom{n}{k}^{-1}$$

59.

$$A_n = \sum_k \binom{n}{k}\binom{2n-k}{n}\binom{n+k}{n}\binom{2k}{k}\binom{2n-2k}{n-k}$$

$$\text{”}A\text{”}_n = \sum_k (n-2k)\binom{n}{k}^3\binom{n+k}{n}\binom{2n-k}{n}\binom{2k}{n}\binom{2n-2k}{n}$$

73.

$$A_n = \binom{2n}{n}\sum_k \frac{(3k)!}{k!^3}\frac{(3n-3k)!}{(n-k)!^3}\binom{2n}{k}\binom{n}{k}^{-1}$$

$$\text{”}A\text{”}_n = \binom{2n}{n}^2\sum_k (n-2k)\binom{n}{k}^3\binom{3k}{n}\binom{3n-3k}{n}$$

83.

$$A_n = \binom{2n}{n}\sum_k \binom{n}{k}\binom{2n}{2k}^{-1}\frac{(4k)!}{(2k)!k!^2}\frac{(4n-4k)!}{(2n-2k)!(n-k)!^2}$$

$$A_n = 2\binom{2n}{n}^2\sum_{k=[(n+1)/2]}^{n}\binom{n}{k}^3\binom{4k}{2n}\binom{2n}{4n-4k}^{-1}$$

99.

$$A_n = \binom{2n}{n}^2\sum_k \binom{n}{k}^2\binom{2n+k}{n}$$

$$A_n = \binom{2n}{n}\sum_k \binom{n+k}{k}\binom{2n-k}{n}\binom{2n}{k}^2$$

$$A_n = \binom{2n}{n}\sum_k (-1)^{n+k}\binom{n}{k}\binom{n+k}{n}^2\binom{2n+k}{n}$$

$$A_n = \binom{2n}{n}^3\sum_k \binom{n}{k}^2\binom{2n-k}{n}\binom{n+k}{n}^{-1}$$

$$A_n = \binom{2n}{n}^2\sum_k \binom{n}{k}\binom{n+k}{n}\binom{2n}{k}$$

$$A_n = \binom{2n}{n}^2\binom{3n}{n}\sum_k \binom{n}{k}\binom{2n}{k}^2\binom{3n}{n+k}^{-1}$$

$$A_n = \binom{2n}{n}^2\sum_k (-1)^k\binom{n}{k}\binom{2n+k}{n}^2$$

$$A_n = \binom{2n}{n}^2\sum_k (-1)^{n+k}\binom{n}{k}\binom{n+k}{n}\binom{2n+k}{2n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{2n-j}{n} \binom{n+i-j}{n-j} \binom{2n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{n+i}{n-j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n} \binom{2n+j}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{2n+i}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i+j}{n} \binom{i+j}{n}^2 \binom{2n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n-i}{j} \binom{2n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{2n+j}{n} \binom{n}{2j-i}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{3n-j}{n} \binom{n}{2j-i}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n}^3 \binom{n+i+j}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n} \binom{n+i+j}{n}^2$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i-j}{n-j} \binom{n+2i}{n+j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n} \binom{n+j}{n}^2 \binom{2n+j}{n} \binom{3n-i}{n} \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n} \binom{2n+j}{n} \binom{3n-i}{n} \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^3 \binom{n+j}{n} \binom{3n-i}{n} \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+i}{n}^2\binom{n+j}{n}\binom{2n+i}{n}\binom{3n+1}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{i+j}\binom{2n+i}{n}^2\binom{n+j}{n}\binom{2n+j}{n}\binom{3n+1}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n+j}{n}^2\binom{3n+1}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{3n-i}{n}^2\binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}^2\binom{n+j}{n}\binom{2n+j}{n}\binom{3n+1}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{3n-i-j}{n}\binom{2n}{i+j}$$

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2n-j}{n}\binom{n+i-j}{n-j}\binom{2n+i}{n+j}$$

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{n+j}{n}\binom{2n+i}{n+j}$$

$$A_n = \sum_{i,j}(-1)^{n+i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n}{i+j}^3\binom{2n+1}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}^2\binom{2n+j}{n}\binom{2n+1}{i-j}$$

$${}''A_n'' = (-1)^n\binom{2n}{n}^2\sum_k k^{-3}\binom{n}{k}^{-1}\binom{n+k}{n}^{-1}\binom{2n}{k}^{-1}$$

$${}''A_n'' = \binom{2n}{n}^3\sum_k(-1)^{n+k}k^{-3}\binom{n}{k}^{-1}\binom{n+k}{n}^{-1}\binom{2n+k}{n}^{-1}$$

$${}''A''_n = \sum_k(n-2k)\binom{n}{k}^3\binom{n+k}{n}\binom{2n-k}{n}\binom{2n+k}{n}\binom{3n-k}{n}$$

101.

$$A_n = \left\{\sum_k\binom{n}{k}^2\binom{n+k}{n}\right\}^2$$

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{n+j}{n}\binom{n+i}{n-j}$$

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{2n-j}{n}\binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{i} \binom{n+i}{j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n-j} \binom{n+i+j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{2n+i-j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n-j} \binom{2n-i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{2n+i-j}{n-j} \binom{n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{n+i-j}{n-j} \binom{2n-i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n}^2 \binom{i+j}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{n+i-j}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{n+i+j}{n} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{2n-j}{n} \binom{2n-i-j}{n} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{i} \binom{n+j}{n} \binom{i}{j} \binom{2j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{i} \binom{n+j}{n} \binom{2j}{j} \binom{i}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{n+i}{n} \binom{2i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{2j}{j} \binom{i+j}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{n} \binom{2i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{2i+j}{j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{n+i-j}{n-j} \binom{2i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{n+i-j}{n-j} \binom{n+i}{j}$$

102.

$$A_n = \sum_{i} \binom{n}{i}^3 \sum_{j} \binom{n}{j}^2 \binom{n+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{2j}{n} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2n-i}{n} \binom{2j}{n}$$

109.

$$A_n = \binom{2n}{n} \sum_{k} \binom{n+k}{n} \binom{2n-k}{n} \binom{2n}{k}^3 \binom{n}{k}^{-1}$$

$$A_n = \binom{2n}{n}^4 \sum_{k} \binom{n}{k}^2 \binom{2n-k}{n} \binom{n+k}{n}^{-2}$$

$$A_n = \binom{2n}{n}^2 \sum_{k} \binom{n}{k} \binom{2n+k}{2n} \binom{3n}{n+k}$$

$$A_n = \binom{2n}{n}^2 \sum_{k} \binom{2n}{k}^2 \binom{3n-k}{n}$$

$$A_n = \binom{2n}{n}^2 \sum_{k} (-1)^{n+k} \binom{n}{k} \binom{2n+k}{n} \binom{3n+k}{2n}$$

$$A_n = \binom{3n}{n} \sum_{k} \binom{n}{k} \binom{n+k}{n} \binom{2n+k}{n} \binom{2n+k}{2n}$$

$$A_n = \frac{(3n)!}{n!^3} \sum_{k} (-1)^k \binom{n}{k} \binom{2n+k}{2n}^2$$

$$A_n = \binom{2n}{n}^2 \sum_{k} (-1)^k \binom{2n+k}{2n}^2 \binom{3n}{n+k}$$

$$A_n = \binom{2n}{n} \sum_{k} (-1)^{n+k} \binom{n}{k} \binom{2n+k}{n}^2 \binom{3n+k}{n}$$

$$A_n = \sum_k (-1)^k \binom{n+k}{n}\binom{2n-k}{n}\binom{2n+k}{2n}^2\binom{3n}{n+k}$$

$$A_n = \binom{3n}{n}\sum_k \binom{n+k}{n}\binom{2n+k}{n}^2\binom{3n+1}{n-2k}$$

$$A_n = \binom{2n}{n}\binom{3n}{n}\sum_{i.j} \binom{n}{i}\binom{n}{j}\binom{n}{i+j}\binom{2n+i+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{i+j}{n}^2\binom{n+i+j}{n}\binom{3n}{i+j}$$

$$\text{”}A_n\text{”} = \binom{2n}{n}^2\sum_k \binom{n}{k}^2\binom{2n+k}{n}\binom{3n+k}{n}\binom{n+k}{n}^{-1}$$

116.

$$A_n = \binom{2n}{n}\sum_k 4^{n-k}\binom{n+k}{n}\binom{2k}{k}^2\binom{2n-2k}{n-k}$$

$$A_n = \binom{2n}{n}^2\sum_k (-1)^{n+k}\binom{n}{k}\binom{2k}{k}\binom{2n-2k}{n-k}\binom{4k}{2n}\binom{2k}{n}^{-1}$$

118.

$$A_n = 32^{-n}\sum_k \binom{n}{k}^{-5}\binom{2k}{k}^5\binom{2n-2k}{n-k}^5$$

$$\text{”}A_n\text{”} = 32^n\sum_k k^{-5}\binom{n}{k}^{-5}$$

124.

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{i+j}{j}\binom{2n-i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{2j}{j}\binom{2n-i-j}{n-j}\binom{i+j}{2j}$$

185.

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{i+j}{n}$$

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{i}{j}^2\binom{n}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{i+2j}{n+i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-i-j}{n-j} \binom{2i}{n+i}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+j-i}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{j}^2 \binom{n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i-j}{n} \binom{2j}{j} \binom{j}{i-j}$$

189.

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{n}^2$$

193.

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{n+i+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i}{n} \binom{n+i}{j} \binom{2n-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{n+i-j}{n-j} \binom{n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n}^2 \binom{2n-j}{n} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+j}{n} \binom{n+i+j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n}^2 \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2n-j}{n} \binom{2n+i-j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i-j}{n-j} \binom{2n-j}{n} \binom{n+i}{n+j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n}^2 \binom{n+j}{n} \binom{i+j}{j}$$

194.

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j}^2$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n-j} \binom{n+i-j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{i+j}{n} \binom{2i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{n} \binom{2j}{j} \binom{i+j}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{n} \binom{2j}{j} \binom{i+j}{n-j}$$

195.

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{n+i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i+j}{j} \binom{n+2j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i}{n} \binom{n+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{n+j}{n} \binom{2n-i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{n+j}{n} \binom{n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2n-j}{n} \binom{n+i-j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{i+j}{n} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{n+i-j}{n-j} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{2i}{n} \binom{2i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2j}{j} \binom{2j}{n} \binom{i+j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j}^2 \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{n-i}{j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i}{n} \binom{2n-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{3n-i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{3n-i-j}{2n-j}$$

$$A_n = \sum_{i,j} (-1)^j \binom{n}{i}^2 \binom{n+j}{n}^2 \binom{i+j}{n} \binom{3n+1}{n-j}$$

$$A_n = \sum_{i,j} (-1)^j \binom{n}{i}^2 \binom{n+j}{n}^2 \binom{n+i+j}{n} \binom{3n+1}{n-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^3 \binom{n+j}{n}^2 \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^3 \binom{n+j}{n}^2 \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n}^3 \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i}{n} \binom{2n-j}{n} \binom{n+i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n} \binom{i+j}{n} \binom{2j}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n} \binom{2n-i}{n} \binom{2n-j}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{2n-j}{n} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{2n-j}{n}\binom{i+j}{j}\binom{n}{i+j}$$

$$\text{”}A_n\text{”} = (-1)^{n+1}\left\{\frac{(3n)!}{n!^3}\right\}^2 \sum_k (-1)^k k^{-5}(n-k)^2(k+\frac{n}{2})\binom{2n+k}{3n}^2\binom{n+k}{n}^{-5}$$

196.

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{i+j}{j}\binom{n+i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{i+j}{j}\binom{n+i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{2j}{j}\binom{n+i-j}{n-j}\binom{i+j}{2j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{i+j}{n}\binom{n+i-j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{2n-i-j}{n}\binom{n+i-j}{i}$$

$$A_n = \sum_{i.j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{n+i-j}{n-j}\binom{2n-i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{n+i-j}{n}\binom{2n-i-j}{n-j}$$

197.

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{i}{j}\binom{i+j}{j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{2i}{n}\binom{2j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{n+i-j}{n-j}\binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{2i}{n}\binom{i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{2j}{j}\binom{i+j}{2j}$$

198.

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{i+j}{j}\binom{2n-i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i}{n} \binom{i+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i}{n} \binom{n+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{n+i-j}{n-j} \binom{n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n}^2 \binom{n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i}{n} \binom{n+i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{2n-i}{n} \binom{2n-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{i+j}{n} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{n+i-j}{n} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{i+j}{n} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{i+j}{n} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i}{n} \binom{n+i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2n-i}{n} \binom{n+i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2n-i-j}{n-j} \binom{n+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{2n-j}{n} \binom{n+i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{2n-i-j}{n-j} \binom{n+i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+j}{n} \binom{n+i-j}{n}^2 \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{n+j}{n}^2\binom{n+i-j}{n}\binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-i}{n}^2\binom{n+j}{n}\binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{n+j}{n}\binom{i+j}{j}\binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{i+j}{n}\binom{n+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{n+j}{n}\binom{i+j}{j}\binom{i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{n+j}{n}\binom{2n-i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{n+j}{j}\binom{n+i}{n-j}\binom{2n-i-j}{n-i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{n+j}{n}\binom{n+i-j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{n+j}{n}\binom{i+j}{j}\binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{n+i}{n}^2\binom{n+j}{n}\binom{n}{i+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{2n-i}{n}\binom{n+j}{n}\binom{n-i}{j}$$

$$''A_n'' = \left\{\frac{(3n)!}{n!^3}\right\}^2 \sum_k (-1)^k(\frac{n}{2}+k)(k-n)k^{-6}\binom{2n+k}{3n}\binom{n+k}{n}^{-6}$$

$$''A''_n = \sum_k (n-2k)\binom{n}{k}^5\binom{n+k}{n}\binom{2n-k}{n}$$

202.

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{i+j}{j}\binom{n+i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{n+i-j}{n}\binom{n+i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{i+j}{n}\binom{2i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i-j}{n-j}^2$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i-j}{n-j} \binom{2i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n} \binom{2i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n-j} \binom{2n-i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{i+j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{n+i-j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n} \binom{n+i-j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+j}{n} \binom{2i}{n}$$

208.

$$A_n = \binom{2n}{n}^2 \sum_{k} \binom{n}{k}^2 \binom{n+2k}{n}$$

$$A_n = \binom{2n}{n} \sum_{k} \binom{n}{k} \binom{n+k}{n} \binom{2n}{k} \binom{2k}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{j} \binom{i+j}{n} \binom{2n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n} \binom{n+i}{n-j} \binom{2n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{2i}{n} \binom{n}{i-j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n-j} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2i}{n-j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{n+2j}{n} \binom{n}{2j-i}$$

209.

$$A_n = \binom{2n}{n}\sum_k \binom{n}{k}^2\binom{n+k}{n}\binom{n+2k}{n}$$

$$A_n = \binom{2n}{n}\sum_k (-1)^{n+k}\binom{n}{k}\binom{n+k}{n}^3$$

$$A_n = \binom{2n}{n}^3\sum_k (-1)^k\binom{n}{k}^3\binom{2n-k}{n}\binom{2n}{k}^{-1}$$

$$A_n = \binom{2n}{n}^2\sum_k (-1)^k\binom{n}{k}^2\binom{2n-k}{n}^2\binom{2n}{k}^{-1}$$

$$A_n = \sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}^4$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+j}{n}\binom{n+i}{n-j}$$

$$A_n = \sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{n+2i}{n}\binom{n+i}{n-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2n-j}{n}\binom{n+i}{n+j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{n+2i}{n}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+2j}{n}\binom{i}{j}\binom{2j}{n-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+2j}{n}\binom{i}{j}\binom{2j}{i}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2n-j}{n}\binom{n+i}{j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2n-j}{n}\binom{2n-i}{n+j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{2n+i-j}{i}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{2n+i-j}{n-j}$$

$$A_n = \sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{i+j}{n}^2\binom{2n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{2n-j}{n}\binom{n}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-j}{n}\binom{n+i-j}{n}\binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{n+i}{n}\binom{2n-j}{n}\binom{i}{j}\binom{2n}{i}$$

$$A_{i,j} = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{n+2j}{n}\binom{i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{n+2i}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-j}{n}\binom{n+i}{n}\binom{i+j}{n}\binom{2n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j}\binom{2n-i}{n}\binom{2n-j}{n}^3\binom{2n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j}\binom{2n-i}{n}^4\binom{n+j}{n}\binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}^3\binom{3n-i}{n}\binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j}\binom{2n-i}{n}^3\binom{n+j}{n}\binom{2n+j}{n}\binom{3n+1}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{n+i+j}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{n+i+j}{n}^2$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}^2\binom{n+i+j}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{n+j}{n}\binom{n+i+j}{n}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{n+i}{n}\binom{2n-j}{n}\binom{n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{n+i}{n}\binom{2i}{n-j}$$

$$''A_n'' = \binom{2n}{n} \sum_k (-1)^k k^{-4} \binom{n}{k}^{-3} \binom{n+k}{n}^{-1}$$

$$''A_n'' = (2n+1)^{-1} \sum_k \binom{n+k}{n}^4 \binom{2n+k+1}{k}^{-1}$$

210.

$$A_n = \binom{2n}{n} \sum_k (-1)^k \binom{2n}{k}^4$$

$$A_n = \binom{2n}{n} \sum_k (-1)^k \binom{2n}{n+k}^4$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{k} \binom{2k}{k} \binom{2n+k}{2k}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{k} \binom{2n}{k} \binom{2n+k}{2n}$$

$$A_n = \binom{2n}{n}^2 (-1)^n \sum_{i,j} \binom{n}{k} \binom{2n}{k} \binom{3n-k}{n}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^{n+k} \binom{n+k}{n} \binom{2n}{k} \binom{2n+k}{2n}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^k \binom{2n}{n-k} \binom{2n+k}{2n}^2$$

$$A_n = \binom{2n}{n} \sum_k (-1)^k \binom{n}{k} \binom{n+k}{n} \binom{2n+k}{n}^2$$

$$A_n = (-1)^n \binom{2n}{n}^2 \sum_k \binom{n}{k}^2 \binom{2n-k}{n} \binom{3n-k}{n} \binom{n+k}{n}^{-1}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2n+i+j}{n+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n+j}{n} \binom{n}{i+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{2n}{i+j}$$

$$A_n = (-1)^n \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{j} \binom{2n}{i+j}$$

$$A_n = (-1)^n \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n} \binom{n+i+j}{n} \binom{2n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+2i}{n+j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{2n+i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{3n-j}{n} \binom{2n+i}{n+j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{i+j}{j} \binom{2n-i}{n} \binom{n+j}{n} \binom{3n-i}{n} \binom{2n+j}{n} \binom{n}{i+j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n} \binom{n+j}{n} \binom{2n+j}{n}^2 \binom{3n-i}{n} \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n} \binom{n+j}{n} \binom{2n+j}{n} \binom{3n-i}{n}^2 \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n} \binom{3n-i}{n}^2 \binom{3n+1}{i-j}$$

$$A_n = \sum_{i,j} (-1)^{i+j} \binom{2n-i}{n} \binom{n+j}{n}^2 \binom{2n+j}{n}^2 \binom{3n+1}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{n+j}{n} \binom{2n+i}{n} \binom{2n+j}{n}^2 \binom{3n+1}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{2n}{i+j}^3$$

$$\text{”}A_n\text{”} = \binom{2n}{n}^3 \sum_{k} (-1)^k k^{-3} \binom{n+k}{n}^{-2} \binom{2n+k}{n}^{-1} \binom{2n}{k}^{-1}$$

$$\text{”}A_n\text{”} = \binom{2n}{n}^3 \sum_{k} k^{-3} \binom{n}{k}^{-1} \binom{n+k}{n}^{-1} \binom{2n}{k}^{-1} \binom{2n+k}{n}^{-1}$$

$$\text{”}A_n\text{”} = \sum_{k} k^{-2} (k-n) \binom{k}{n}^2 \binom{2n-k}{n}^2 \binom{n+k}{n}^{-1}$$

$$\text{”}A\text{”}_n = \binom{2n}{n}^2 \sum_{k} (n-2k) \binom{n}{k}^3 \binom{2n+k}{n} \binom{3n-k}{n}$$

211.

$$A_n = \binom{2n}{n}^4 \sum_{k=0}^{n} (-1)^k \binom{n}{k}^2 \binom{2k}{k} \binom{4n-2k}{2n-k} \binom{n+k}{n}^{-2} \binom{2n}{k}^{-1}$$

$$+\binom{2n}{n}^4 \sum_{k=1}^{n} \binom{n}{k}^2 \binom{2n+k}{2n} \binom{4n+2k}{2n+k} \binom{n+k}{n}^{-2} \binom{2k}{k}^{-1}$$

$$A_n = \binom{2n}{n}^3 \sum_k (-1)^{n+k} \binom{n}{k} \binom{2k}{k} \binom{2n-k}{n} \binom{4n-2k}{2n-k} \binom{n+k}{n}^{-2}$$

$$\text{”}A_n\text{”} = 256^n \binom{2n}{n}^3 \sum_k (-1)^k \binom{2n+k}{2n}^6 \binom{n+k}{n}^{-2} \binom{2n+k}{n}^{-2}$$

$$\text{”}A_n\text{”} = 256^{-n} \binom{2n}{n} \sum_k (-1)^k \binom{2n+k}{2n}^4$$

$$\text{”}A_n\text{”} = 256^n \binom{2n}{n} \sum_k (-1)^{n+k} k^{-4} \binom{2n}{k}^{-4}$$

$$\text{”}A\text{”}_n = 256^{-n} \binom{2n}{n} \sum_k (-1)^{n+k} \binom{n+k}{2n}^4$$

$$\text{”}A_n\text{”} = 256^{-n} \binom{2n}{n} \sum_k (-1)^k \binom{2n+k}{n}^4$$

212.

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{j} \binom{2n-i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{n} \binom{n+i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{i+j}{n} \binom{2n-i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i+j}{n} \binom{n+i-j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{i+j}{n} \binom{n+i-j}{i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i-j}{i} \binom{n+j-i}{j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i}{j} \binom{n+i-j}{n-j} \binom{2n-i-j}{n}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{i}{n-j} \binom{2n-i-j}{n-i}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{2n-i-j}{n-j} \binom{n-i}{j}$$

$$A_n=\sum_{i,j}(-1)^j 4^{n-j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{2n-j}{n}\binom{2j}{j}$$

$$A_n=\sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{i+j}{j}\binom{2i}{n}$$

$$A_n=\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{i+j}{j}\binom{2j}{n}$$

$$\text{"}A\text{"}_n=\sum_{k}(n-2k)\binom{n}{k}^5\binom{2k}{k}\binom{2n-2k}{n-k}$$

213.

$$A_n=\sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{i+j}{j}\binom{2i}{n}$$

$$A_n=\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{2n-j}{n}\binom{2i}{n}$$

$$A_n=\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+i}{n}\binom{n+j}{n}\binom{2n-i-j}{n-j}\binom{n}{i+j}$$

$$A_n=\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2i}{n}\binom{n}{i-j}$$

$$A_n=\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{n+j}{n}\binom{n+i-j}{n-j}\binom{n}{i-j}$$

$$A_n=\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{n}\binom{2j}{n}\binom{n+i}{n-j}$$

$$A_n=\sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{n+i-j}{n}\binom{2i}{n}$$

214.

$$A_n=\binom{2n}{n}\sum_{k}\binom{n}{k}^2\binom{n+k}{n}\binom{3k}{n}$$

$$A_n=\binom{2n}{n}\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}^2\binom{i+j}{n}$$

$$A_n=\binom{2n}{n}\sum_{i,j}(-1)^{j}\binom{n}{i}^2\binom{n+i}{n}\binom{3i+1}{n-j}$$

215.

$$A_n=\binom{2n}{n}^2\sum_{k}\binom{n}{k}^2\binom{4k}{2n}$$

$$A_n = \binom{2n}{n}\sum_k (-1)^k 4^{n-k}\binom{n}{k}\binom{n+k}{n}\binom{2k}{n}\binom{n+2k}{k}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{4j}{2n}\binom{n}{2j-i}$$

217.

$$A_n = \binom{2n}{n}\sum_k \binom{n}{k}^2\binom{3k}{n}\binom{2n-2k}{n}$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}^2\binom{2n-i-j}{n}$$

218.

$$A_n = \binom{2n}{n}\sum_k \binom{n}{k}^2\binom{2k}{n}\binom{3k}{n}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{i+j}{n}\binom{n}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{2n-i-j}{n}^2$$

$$A_n = \binom{2n}{n}\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{i+j}{j}^2$$

219.

$$A_n = \binom{2n}{n}^2\sum_k \binom{n}{k}^2\binom{3k}{n}$$

$$A_n = \binom{2n}{n}^2\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{3j}{n}\binom{2n}{2j-i}$$

220.

$$A_n = \binom{2n}{n}^3\left\{(-1)^n\sum_{k=0}^{[n/2]}\binom{n}{k}^2\binom{n}{2k}\binom{2n}{4k}^{-1} + \sum_{k=[n/2]+1}^{n}\binom{n}{k}^2\binom{4k}{2n}\binom{2k}{n}^{-1}\right\}$$

$$A_n = \binom{2n}{n}^2\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+i}{n-j}\binom{2n}{i+j}$$

222.

$$A_n = \binom{2n}{n}^2\sum_k \binom{n}{k}\binom{2k}{n}\binom{2n}{n-k}$$

$$A_n = \binom{2n}{n} \sum_k \binom{2n-k}{k} \binom{2n-2k}{n} \binom{2n}{k}^2$$

$$A_n = \frac{(3n)!}{n!^3} \sum_k \binom{n}{k} \binom{2n}{k} \binom{2n}{n+k}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i-j}{n-j} \binom{2j}{n} \binom{2n+i}{n+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n}{i}^2 \binom{n}{j} \binom{n}{2j-i}$$

229.

$$A_n = \sum_{i+j+k=n} \left(\frac{(2n)!}{i!j!k!}\right)^2$$

$$A_n = \sum_k \binom{2n}{k}^2 \binom{4n-2k}{2n-k}$$

232.

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k}^2 \binom{3n}{n+k}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^{n+k} 4^{n-k} \binom{n}{k} \binom{2n+k}{n} \binom{3n+2k}{n+k}$$

$$A_n = \frac{(3n)!}{n!^3} \sum_k \binom{n}{k} \binom{2n}{k} \binom{2k}{n}$$

$$A_n = \frac{(3n)!}{n!^3} \sum_k \binom{n}{k} \binom{2n}{k} \binom{2n}{n-k}$$

$$A_n = 32^{-n} (-1)^n \binom{2n}{n}^2 \sum_k \binom{n}{k} \binom{n+k}{n} \binom{2n-k}{n} \binom{2n+2k}{n+k} \binom{4n-2k}{2n-k} \binom{2n}{2k}^{-2}$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n}^2 \binom{3n}{i+j} \binom{2n}{i+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n}{i+j}$$

233.

$$A_n = \binom{2n}{n}^3 \sum_k \binom{n}{k}^2 \binom{3n}{n+k} \binom{2n}{2k}^{-1}$$

$$A_n = 2^{-n} \binom{2n}{n} \sum_k \binom{n}{k} \binom{n+k}{n} \binom{2n-k}{n} \binom{2n+2k}{n+k} \binom{4n-2k}{2n-k} \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^{n+k} 4^{n-k} \binom{n}{k} \binom{2k}{k} \binom{n+k}{n}^2$$

235.

$$A_n = \sum_k \binom{n}{k} \binom{2k}{k} \binom{2n-2k}{n-k} \binom{2k}{n-k} \binom{2n-2k}{k}$$

$$A_n = \sum_{i,j} (-1)^{n+j} 4^{n-j} \binom{n}{i}^2 \binom{n}{j} \binom{2i}{n} \binom{2j}{j} \binom{i+j}{n}$$

237.

$$A_n = 8^{-n} \binom{2n}{n}^4 \sum_k \binom{n}{k}^2 \binom{3n}{n+k} \binom{2n}{2k}^{-2}$$

$$A_n = \binom{2n}{n}^2 \binom{3n}{n} \sum_k \binom{2n}{k}^2 \binom{2n}{n-k}^2 \binom{2n}{2k}^{-2} \binom{3n}{n+k}^{-1}$$

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k}^3 \binom{2n+2k}{n+k} \binom{4n-2k}{2n-k} \binom{2n}{k}^{-1} \binom{2n}{n-k}^{-1}$$

$$A_n = \binom{2n}{n} \sum_k (-1)^{n+k} 4^{n-k} \binom{n}{k} \binom{n+k}{n} \binom{2k}{n} \binom{2n+2k}{n+k}$$

$$A_n = 2^{-n} \binom{2n}{n}^2 \sum_k (-1)^k 4^{n-k} \binom{n}{k}^2 \binom{2n-2k}{n} \binom{2n}{n-k} \binom{2n}{2k}^{-1} \binom{2n-2k}{n-k}^{-1}$$

239.

$$A_n = \frac{(3n)!}{n!^3} \sum_k \binom{n}{k} \binom{2n+2k}{n+k} \binom{4n-2k}{2n-k}$$

$$A_n = 8^{-n} \binom{2n}{n}^2 \binom{3n}{n} \sum_k \binom{n}{k} \binom{2n+2k}{n+k} \binom{4n-2k}{2n-k} \binom{2n}{2k}^{-1}$$

240.

$$A_n = \sum_k \binom{n}{k} \binom{2k}{k} \binom{2n-2k}{n-k} \binom{n+2k}{n} \binom{3n-2k}{n}$$

$$A_n = \binom{2n}{n}^2 \left\{ \sum_{k=0}^{[n/2]} \binom{n}{k}^3 \binom{3n-2k}{2n} \binom{2n}{n+2k}^{-1} + \sum_{k=[n/2]+1}^{n} \binom{n}{k}^3 \binom{2n}{n+2k} \binom{2n}{3n-2k}^{-1} \right\}$$

241.

$$A_n = \sum_k \binom{2n+2k}{n+k} \binom{4n-2k}{2n-k} \binom{n+k}{n-k} \binom{2n-k}{k}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^k \binom{n}{k} \binom{2n}{k}^2 \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}^2 \sum_k (-1)^k \binom{2n-k}{n} \binom{2n}{k}^3 \binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}^4 \sum_k (-1)^k \binom{n}{k} \binom{2k}{k} \binom{2n-2k}{n-k} \binom{n+k}{n}^{-2}$$

$$A_n = \binom{2n}{n}^3 \sum_k (-1)^k \binom{n}{k} \binom{2n}{k}^2 \binom{2n}{2k}^{-1}$$

243.

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{n+i+j}{n} \binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{n+i-j}{n-j} \binom{n+2i}{n+j}$$

248.

$$A_n = (-1)^n \sum_k \binom{n}{k}^3 \binom{n+k}{n} \binom{2n-k}{n} \binom{2k}{k} \binom{2n-2k}{n-k}$$

$$A_n = \sum_{i,j} (-1)^j 4^{n-j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{n+i}{n} \binom{2j}{j}$$

$$A_n = \sum_{i,j} (-1)^j 4^{n-j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{n} \binom{n+i}{n} \binom{2j}{j}$$

256.

$$A_n = \binom{2n}{n} \sum_k (-1)^k 4^{n-k} \binom{n}{k} \binom{n+k}{n}^2 \binom{2n+k}{n+k}$$

$$A_n = \sum_k \binom{n}{k}^3 \binom{n+k}{n} \binom{2n-k}{n} \binom{2n+2k}{n+k} \binom{4n-2k}{2n-k} \cdot$$

$$\{1 + k(-4H_k + 4H_{n-k} - H_{n+k} + H_{2n-k} + 2H_{2n+2k} - 2H_{4n-2k})\}$$

$$A_n = \binom{2n}{n}^2 \sum_k \binom{n}{k} \binom{2n}{k} \binom{2n}{n-k} \binom{2n-k}{k} \binom{n+k}{n-k} \cdot$$

$$\{1 + k(-3H_k + 3H_{n-k} - 2H_{2k} + 2H_{2n-2k})\}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{n+i}{n-j} \binom{2n}{i+j}$$

258.

$$A_n = \binom{2n}{n}^2 \sum_k 4^{n-k} \binom{n}{k}^2 \binom{n+k}{n} \binom{2n+2k}{n+k} \binom{2n}{2k}^{-1}$$

$$A_n=\sum_k\binom{n}{k}\binom{n+k}{n}\binom{2n-k}{n}\binom{2k}{k}\binom{2n-2k}{n-k}\binom{2n+2k}{n+k}\binom{4n-2k}{2n-k}$$

$$(1+k(-4H_k+4H_{n-k}-H_{n+k}+H_{2n-k}+2H_{2k}-2H_{2n-2k}+2H_{2n+2k}-2H_{4n-2k}))$$

$$A_n=\binom{2n}{n}^2\sum_k\binom{2k}{k}\binom{2n}{k}\binom{4n-2k}{2n-k}$$

277.

$$A_n=\binom{2n}{n}^3(-1)^n\sum_k 4^{n-k}\binom{n}{k}\binom{2n}{n+k}\binom{2n+2k}{n+k}\binom{2n}{2k}^{-1}$$

$$A_n=\binom{2n}{n}^2\sum_k\binom{n}{k}\binom{2k}{k}\binom{2n-2k}{n-k}\binom{2n+2k}{n+k}\binom{4n-2k}{2n-k}$$

$$(1+k(-3H_k+3H_{n-k}+2H_{2k}-2H_{2n-2k}+2H_{2n-k}-2H_{n+k}+2H_{2n+2k}-2H_{4n-2k}))$$

279.

$$A_n=3\sum_{k=[2(n+1)/3]}^{n}(-1)^k\binom{n}{k}\binom{n}{3n-3k}\binom{3k}{n}^{-1}\frac{n-2k}{n-3k}\frac{(3k)!}{k!^3}\frac{(3n-3k)!}{(n-k)!^3}$$

$$A_n=\sum_{i,j}(-1)^{n+k}3^{n-3i}\binom{n}{3i}\binom{n}{j}\binom{i}{j}\binom{n+j}{n}\frac{(3i)!}{i!^3}$$

$$A_n=\sum_{i,j}(-1)^{n+k}3^{n-3i}\binom{n}{3i}\binom{n}{j}^2\binom{i+j}{n}\frac{(3i)!}{i!^3}$$

284.

$$A_n=\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+i}{n}\binom{n+j}{n}\binom{n+i-j}{n-j}\binom{n}{i+j}$$

$$A_n=\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{2n-i}{n}\binom{n+j}{n}\binom{i+j}{j}\binom{n}{i-j}$$

287.

$$A_n=\binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{i+j}{n}\binom{n}{i-j}$$

$$A_n=\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}^2\binom{n+i}{n-j}\binom{2n}{i+j}$$

$$A_n=\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{i+j}{n}\binom{2n-i}{n}\binom{2n}{i+j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{n+i-j}{n-j}\binom{n}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{n}{i+j}\binom{i+2j}{n}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{2i}{n-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{n+i}{n}\binom{2j}{i}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2n-j}{n}\binom{2i}{n+j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2j}{j}\binom{i+j}{n-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{2i+j}{n+j}$$

288.

$$A_n = \binom{2n}{n}^2\sum_{k}4^{n-k}\binom{n}{k}^2\binom{2n+k}{n}\binom{4n+2k}{2n+k}\binom{2n}{2k}^{-1}$$

$$A_n = \binom{2n}{n}\binom{3n}{n}\binom{4n}{n}\frac{(4k)!}{(2k)!k!^2}\frac{(4n-4k)!}{(2n-2k)!(n-k)!^2}\binom{n+k}{n}^{-1}\binom{2n-k}{n}^{-1}$$

292.

$$A_n = \binom{2n}{n}\sum_{k}(-1)^{n+k}4^{n-k}\binom{n}{k}\binom{2n+k}{n}^2\binom{4n+2k}{2n+k}$$

$$A_n = \binom{2n}{n}^3\sum_{k}4^{2n-k}\binom{n}{k}\binom{n+k}{n}\binom{2n-2k}{n-k}^{-1}$$

293.

$$A_n = \binom{2n}{n}\sum_{k}(-1)^{n+k}4^{n-k}\binom{n}{k}\binom{2k}{k}\binom{n+k}{n}^2$$

$$A_n = \sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}\binom{2i}{n}\binom{2j}{n}\binom{2n}{i+j}$$

301.

$$A_n = \sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{i+j}{j}\binom{2i}{n}\binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{i+j}{n}\binom{2i}{n}\binom{n}{i-j}$$

303.

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{n+i}{n}\binom{2j}{j}\binom{i+j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{n+j}{n}\binom{2i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{n+j}{n}\binom{2i}{n}\binom{2i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{i+j}{n}\binom{2i}{n}\binom{2j}{n}\binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{n+j}{n}\binom{2i+j}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{2i}{n}\binom{2i+j}{j}$$

306.

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{n+i}{n}\binom{n+j}{n}\binom{2i}{n}\binom{n}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2\binom{n+j}{n}^2\binom{n+i+j}{n}\binom{3n+1}{n-2j}$$

307.

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{2i}{n+j}$$

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}^2\binom{n}{j}^2\binom{2i}{n-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{n}{i-j}$$

$$A_n = \binom{2n}{n}\sum_{i,j} \binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{2j}{i}$$

308.

$$A_n = \sum_{i,j} \binom{n}{i}\binom{i}{j}\binom{n+i-j}{n}\binom{2j}{j}\binom{2j}{i-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{n+i-j}{n-j}\binom{2j}{j}\binom{j}{i-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-i-j}{n} \binom{2i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{j} \binom{n}{i+j} \binom{i+2j}{n}$$

309.

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+j}{n} \binom{2i}{n-j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{2i+j}{j}$$

$$A_n = \binom{2n}{n} \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{i+j}{j} \binom{i+j}{n}^2$$

$$A_n = \sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{j} \binom{i+j}{n}^2 \binom{2n}{i+j}$$

310.

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i}{n} \binom{n+j}{n} \binom{2i}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i}{n} \binom{2i+j}{j}$$

312.

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{n+i-j}{n-j} \binom{2j}{n} \binom{2i}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-i-j}{n-j} \binom{2j}{n} \binom{n+i}{n+j}$$

316.

$$A_n = \binom{2n}{n}^2 \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{3i}{n+j}$$

$$A_n = \binom{2n}{n}^2 \sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{n+3j}{2n} \binom{n}{2j-i}$$

318.

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n+i-j}{n-j} \binom{2i+j}{n+j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j} \binom{2j}{j} \binom{i+j}{n-j}$$

$$A_n = \sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{i+j}{j}^2 \binom{2i}{n-j}$$

332.

$$A_n = 2^{-n} \binom{2n}{n} \sum_k (-1)^{n+k} 4^{n-k} \binom{n}{k} \binom{2k}{k} \binom{2n-2k}{n} \binom{n+k}{n}$$

$$A_n = 2^{-n} \binom{2n}{n}^2 \sum_k (-1)^{n+k} 4^{n-k} \binom{n}{k}^2 \binom{n-k}{k} \binom{n+k}{n} \binom{2n}{2k}^{-1}$$

Some other sums.

(i)

$$\sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n}^2 \binom{2n}{i+j} = \binom{2n}{n}^3$$

(ii)

$$\sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n}^2 \binom{n+i+j}{2n} \binom{2n}{i+j} = \binom{2n}{n}^4$$

(iii)

$$\sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n}^2 \binom{3n}{i+j} = \binom{2n}{n} \binom{3n}{n}^2$$

(iv)

$$\sum_{i,j} \binom{n}{i} \binom{n}{j} \binom{i+j}{n}^2 \binom{2n+i+j}{2n} \binom{2n}{i+j} = \binom{2n}{n}^2 \binom{3n}{n}^2$$

(v)

$$\sum_{i,j} (-1)^{i+j} \binom{2n-i}{n} \binom{n+j}{n} \binom{2n+j}{n} \binom{3n-i}{n} \binom{2n+1}{i-j} = \binom{2n}{n}^2 \binom{3n}{n}$$

(vi)

$$\sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n} \binom{2n+j}{n} \binom{3n-i}{n} \binom{2n+1}{i-j} = \binom{2n}{n}^3 \binom{3n}{n}$$

(vii)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}^2\binom{n+j}{n}^2\binom{2n+j}{n}\binom{3n-i}{n}\binom{3n+1}{i-j}=\binom{2n}{n}^5$$

(viii)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n+j}{n}\binom{3n-i}{n}\binom{3n+1}{i-j}=\binom{2n}{n}^3$$

(ix)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{3n}{i+j}=\binom{5n}{2n}$$

(x)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}\binom{2n}{i+j}=\binom{2n}{n}\binom{3n}{n}$$

(xi)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{2n}{i+j}=\binom{3n}{n}^2$$

(xii)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n}{i+j}^2\binom{2n+1}{i-j}=(-1)^n\binom{2n}{n}^3$$

(xii).

$$\sum_{i,j}(-1)^{n+i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n}{i+j}\binom{3n+1}{i-j}=2^n\binom{2n}{n}$$

(xiii)

$$\sum_{i,j}(-1)^{i}\binom{n}{j}^2\binom{2n-i}{n}\binom{2n-j}{n}\binom{3n-i}{n}\binom{n+j-i}{n}\binom{3n+1}{i}=\binom{2n}{n}^4$$

(xiv)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{2n}{j}=\binom{2n}{n}^3$$

(xv)

$$\sum_{i,j}(-1)^j\binom{n}{i}^2\binom{n}{j}\binom{n+i+j}{n}\binom{2n+1}{n-j}=(-1)^n$$

(xvi)

$$\sum_k\binom{n}{k}^2\binom{2n+k}{n}\binom{3n+k}{n}=\binom{2n}{n}\binom{3n}{n}^2$$

(xvii)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}\binom{3n-i-j}{n}\binom{3n}{i+j}=\binom{2n}{n}\binom{3n}{n}^2$$

(xviii)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}^2\binom{3n-i-j}{n}\binom{3n}{i+j}=\binom{2n}{n}^3\binom{3n}{n}$$

(ixx)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{3n-i}{n}\binom{n}{i+j}=\binom{2n}{n}^3$$

(xx)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{3n-i}{n}^2\binom{2n+j}{n}\binom{2n+1}{i-j}=\binom{2n}{n}^2\binom{3n}{n}^2$$

(xxi)

$$\binom{2n}{n}^2\sum_k\binom{n}{k}^4\binom{2n}{2k}^{-3}=4^n\sum_k\binom{n}{k}^4\binom{2n}{2k}^{-1}$$

(xxii)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{2n+j}{n}\binom{2j}{j}\binom{2j}{i-j}=\binom{2n}{n}^3$$

(xxiii)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{2n+i}{2n-j}=\binom{2n}{n}^2\binom{3n}{n}$$

(xxiv)

$$\sum_{i,j}(-1)^{i+j+n}\binom{2n-i}{n}\binom{n+i}{n}\binom{n+j}{n}\binom{3n+1}{i-j}=\binom{2n}{n}$$

(xxv)

$$\sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-j}{n}\binom{i+j}{j}\binom{2n}{i}\binom{2n}{j} = \binom{2n}{n}^4$$

(xxvi)

$$\sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{2n-j}{n}\binom{n+i-j}{n-j}\binom{2n}{i}\binom{2n}{j} = \binom{2n}{n}^4$$

(xxxvii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+i}{n}\binom{2n-i}{n}\binom{2j}{i} = 2^n\binom{2n}{n}$$

(xxxviii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+i}{n}\binom{n+i}{n}\binom{2j}{i} = 2^n\binom{2n}{n}$$

(ixxxx)

$$A_n = \sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{2n+j}{n}\binom{i}{j}\binom{2j}{i} = \binom{2n}{n}^3$$

(xxxx)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{3j}{2n} = \binom{3n}{n}$$

(xxxxi)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}^2\binom{i}{j}\binom{3j}{2n} = \binom{2n}{n}\binom{3n}{n}$$

(xxxxii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}^2\binom{i}{j}\binom{3j}{2n} = \binom{2n}{n}^2\binom{3n}{n}$$

(xxxxiii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{3i+1}{j} = 3^n\binom{2n}{n}$$

(xxxxiv)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+i}{n}^2\binom{2j}{i} = 2^n\binom{2n}{n}^2$$

(xxxxv)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+i}{n+j} = \binom{2n}{n}^2$$

(xxxxvi)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}^2\binom{n+j}{n}\binom{3n+1}{i-j} = \binom{2n}{n}$$

(xxxxvii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{3n-2j}{n} = (-2)^n$$

(**xxxxviii)**

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+i}{n}\binom{2n+j}{n}\binom{3n-i}{n}\binom{3n+1}{i-j} = (-1)^n\binom{2n}{n}^3$$

(xxxxviiii)

$$\sum_{i,j}(-1)^{i+j}\binom{2n+i}{n}^2\binom{n+j}{n}\binom{2n+j}{n}\binom{2n+1}{i-j} = \binom{2n}{n}^3$$

(L)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n}{i+j}\binom{2n+1}{i-j} = (-1)^n\binom{2n}{n}$$

(Li)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+i-j}{n-j}\binom{2n+i}{n+j} = \binom{2n}{n}^2\binom{3n}{n}$$

(Lii)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{3n}{i+j}=\binom{3n}{n}\binom{4n}{n}$$

(Liii)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}^2\binom{2n}{i+j}=\binom{2n}{n}^3$$

(Liv)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2n+i}{n+j}=\binom{3n}{n}^2$$

(Lv)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2n+i}{i+j}=\binom{3n}{n}^2$$

(Lvi)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{j}\binom{2n+i}{i+j}=\binom{2n}{n}^2\binom{3n}{n}$$

(Lvii)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+i-j}{n-j}\binom{2n+i}{n+j}=\binom{2n}{n}^2\binom{3n}{n}$$

(Lviii)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+j}{n}\binom{n+i-j}{n-j}\binom{2n+i}{n+j}=\binom{2n}{n}^4$$

(Lviiii)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2n-j}{n}\binom{i+j}{j}\binom{2n+i}{i+j}=\binom{2n}{n}^4$$

(Lx)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{2n+i-j}{n-j}\binom{3n+1}{n+j}=\binom{3n}{n}^3$$

(Lxi)

$$\sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{2n-j}{n} \binom{n+i-j}{n-j} \binom{3n}{n+j} = \binom{2n}{n}^3 \binom{3n}{n}$$

(Lxii)

$$\sum_k (-1)^{n+k} \binom{n+k}{n}^2 \binom{2n}{n+k}^3 \binom{2n}{2k}^{-2} = 16^n \binom{2n}{n}$$

(Lxiii)

$$\sum_k (-1)^{n+k} \binom{n}{k} \binom{n+k}{n}^2 = \sum_k \binom{n}{k}^2 \binom{n+k}{n}$$

(Lxiv)

$$\sum_{i,j} (-1)^{i+j} \binom{i+j}{j} \binom{2n-j}{n} \binom{n+j}{n} \binom{n}{i+j} = (-1)^n \binom{2n}{n}$$

(Lxv)

$$\sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{2n-j}{n} \binom{3n-j}{n} \binom{n}{2j-i} = \binom{2n}{n}^3$$

(Lxvi)

$$\sum_{i,j} (-1)^{i+j} \binom{n}{i} \binom{n}{j} \binom{2n}{i+j}^2 = (-1)^n \binom{2n}{n} \binom{3n}{n}$$

(Lxvii)

$$\sum_{i,j} \binom{n}{i}^2 \binom{n}{j} \binom{3n-i}{n+j} = \binom{3n}{n}^2$$

(Lxviii)

$$\sum_{i,j} (-1)^{i+j} \binom{2n-i}{n} \binom{n+j}{n} \binom{2n+j}{n} \binom{2i}{n} \binom{4n+1}{i-j} = 2^n \binom{2n}{n}^2$$

(Lxix)

$$\sum_{i,j} (-1)^{i+j} \binom{2n-i}{n}^2 \binom{n+j}{n} \binom{2n+j}{n} \binom{3n-i}{n} \binom{4n+1}{i-j} = \binom{2n}{n}^4$$

(Lxx)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}^2\binom{2n-j}{n}\binom{3n-i}{n}\binom{2n+1}{i-j}=\binom{2n}{n}^3$$

(Lxxi)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n-j}{n}\binom{3n-i}{n}\binom{2n+j}{n}\binom{2n+1}{i-j}=\binom{2n}{n}^2\binom{3n}{n}$$

(Lxxii)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{n+j}{n}\binom{n-2j}{j}=2^{-1}\binom{2n}{n}^2$$

(Lxxiii)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{n+i-j}{i}\binom{n+j}{n}\binom{n-2j}{j}=1$$

(Lxxiv)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{2n-j}{n}\binom{n-2j}{j}=2^{-1}\binom{2n}{n}$$

(Lxxv)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{2n+j}{n}\binom{n-2j}{j}=2^{-1}\binom{2n}{n}\binom{3n}{n}$$

(Lxxvi)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{n+i-j}{i}\binom{2n-j}{n}\binom{n-2j}{j}=\binom{2n}{n}$$

(Lxxvii)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{3n-j}{n}\binom{n-2j}{j}=2^{-1}\binom{2n}{n}^2$$

(Lxxviii)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{kn+j}{n}\binom{n-2j}{j}=2^{-1}\binom{2n}{n}\binom{(k+1)n}{n}$$

(Lxxix)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{n+j}{n}^2\binom{n-2j}{j}=2^{-1}\binom{2n}{n}^3$$

(Lxxx)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{n+i}{n-j}^2\binom{n-2j}{j}=2^{-1}\binom{2n}{n}$$

(Lxxxi)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{kn+i}{n+j}=\binom{(k+1)n}{n}^2$$

(Lxxxii)

$$\sum_{i,j}(-1)^{n+i+j}\binom{2n-i}{n}^2\binom{n+j}{n}\binom{n+i}{n-j}=\binom{2n}{n}^2$$

(**Lxxxiii)**

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{2n+j}{n}\binom{n+j}{n}\binom{n}{2j-i}=\binom{2n}{n}^3$$

(Lxxxiv)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}\binom{3n-i-j}{n}=(-1)^n\binom{2n}{n}$$

(Lxxxv)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{n+j}{n}\binom{2j}{j}=\binom{2n}{n}^2$$

(Lxxxvi)

$$\sum_{i,j}(-1)^{i+j}\binom{n+j}{n}\binom{2n+i}{n}\binom{2n+j}{n}\binom{3n+1}{i-j}=(-1)^n\binom{2n}{n}$$

(Lxxxvii)

$$\sum_{i,j}(-1)^{n+i+j}\binom{2n-i}{n}^{k}\binom{n+j}{n}\binom{n+i}{n-j}=\binom{2n}{n}^{k}$$

(Lxxxviii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}\binom{2i+2j}{n}=2^{n}$$

(Lxxxix)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}^{2}=\binom{2n}{n}$$

(Lxxxx))

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}^{3}\binom{n+j}{n}\binom{2n+j}{n}\binom{2n+1}{i-j}=\binom{2n}{n}^{4}$$

(**Lxxxxi)**

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}^{2}\binom{2n+j}{n}\binom{3n+1}{i-j}=\binom{2n}{n}^{3}$$

(Lxxxxi)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n+j}{n}\binom{2n+1}{i-j}=\binom{2n}{n}^{2}$$

Lxxxxii)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{3n-i}{n}\binom{2n+j}{n}\binom{3n+1}{i-j}=\binom{2n}{n}^{3}$$

(Lxxxxiii)

$$\sum_{i,j}(-1)^{i+j}\binom{i+j}{n}\binom{2n-i}{n}\binom{n+j}{n}\binom{3n-i}{n}\binom{2n+j}{n}\binom{3n}{i+j}=\binom{2n}{n}^{2}\binom{3n}{n}^{2}$$

(Lxxxxiv)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n+i}{n}\binom{3n+1}{i-j}=(-1)^n\binom{2n}{n}$$

(Lxxxxv)

$$\sum_{i,j}(-1)^{i+j}\binom{i+j}{n}\binom{2n-i}{n}\binom{n+j}{n}\binom{3n}{i+j}=-n\binom{3n}{n}$$

(Lxxxxvi)

$$\sum_{i,j}(-1)^{i+j}\binom{i+j}{n}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n}{i+j}=(-1)^n\binom{2n}{n}\binom{2n+1}{n}$$

(Lxxxxvii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{2n}{i+j}^2=\binom{2n}{n}\binom{3n}{n}$$

(Lxxxxviii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+i+j}{n}^2=\binom{2n}{n}$$

(Lxxxxviiii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{n}^2\binom{n+i+j}{n}=\binom{2n}{n}^3$$

(C)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{i}{j}\binom{3n-j}{n}=\binom{2n}{n}^3$$

(Ci)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+i-j}{n-j}\binom{2n}{n+j}=\binom{2n}{n}^3$$

(Cii)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+i}{n+j}=\binom{2n}{n}^2$$

(Ciii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{2n-j}{n}\binom{n+j}{n}\binom{3j}{2n}=\binom{2n}{n}\binom{3n}{n}$$

(Civ)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+i}{n}^3\binom{2j}{i}=2^n\binom{2n}{n}^3$$

(Cv)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}^2\binom{n}{j}\binom{2j}{i}=2^n$$

(Cvi)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}^2\binom{n+i-j}{n-j}=1$$

(Cvii)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}^2\binom{n+i}{n-j}=1$$

(Cviii)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}^2\binom{2n+i-j}{n}=1$$

(Cix)

$$\sum_{i,j}(-1)^{n+i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{2n-j}{n}\binom{2n+i-j}{n-j}=\binom{2n}{n}$$

(Cx)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{2n-j}{n}\binom{2n+i}{j}=\binom{2n}{n}$$

(Cxi)

$$\sum_{k}\binom{n+k}{n}^2\binom{2n+k}{n}\binom{3n+1}{n-2k}=\binom{2n}{n}^3$$

(Cxii)

$$\sum_{i,j} \binom{n}{i}\binom{n}{j}\binom{i+j}{n}\binom{3n}{i+j} = \binom{2n}{n}\binom{4n}{2n}$$

(Cxiii)

$$\sum_{i,j} (-1)^{i+j} \binom{n}{i}\binom{n}{j}\binom{2n-j}{n}\binom{3n-j}{n}\binom{n}{2j-i} = \binom{2n}{n}^3$$

(Cxiv)

$$\sum_{i,j} (-1)^{i+j} \binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{2n+j}{n}\binom{3j}{2n} = \binom{3n}{n}^2$$

(Cxv)

$$\sum_{i,j} (-1)^{i+j} \binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{3n+j}{n}\binom{3j}{2n} = \binom{2n}{n}\binom{4n}{2n}$$

(Cxvi)

$$\sum_{i,j} (-1)^{i+j} \binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{3j}{2n} = \binom{3n}{n}$$

(Cxvii)

$$\sum_{i,j} (-1)^{i+j} \binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{2j}{n}\binom{3j}{2n} = \binom{2n}{n}\binom{3n}{n}$$

(Cxviii)

$$\sum_{i,j} (-1)^{i+j} \binom{n}{i}\binom{n}{j}^2\binom{n+j}{n}\binom{3i+1}{n} = 3^n\binom{2n}{n}$$

(Cxix)

$$\sum_{i,j} (-1)^{i+j} \binom{n}{i}\binom{n}{j}^2\binom{n+j}{n}\binom{2n+j}{n}\binom{3i+1}{n} = 3^n\binom{2n}{n}\binom{3n}{n}$$

(Cxx)

$$\sum_{i,j} (-1)^{i+j} \binom{n}{i}\binom{n}{j}\binom{2n-j}{n}\binom{3i+1}{j} = 3^n$$

(Cxxi)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{n+i+j}{n}=1$$

(Cxxii)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{2n+j}{n}\binom{3n-i}{n}\binom{4n+1}{i-j}=\binom{2n}{n}^2$$

(Cxxiii)

$$\sum_{k}\binom{n}{k}^2\binom{n+k}{n}\binom{2n+k}{n}=\binom{2n}{n}^3$$

(Cxxiv)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{n+j}{n}^k\binom{3j}{2n}=\binom{3n}{n}^{k+1}$$

(Cxxv)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{3n-j}{n}\binom{3j}{2n}=\binom{2n}{n}\binom{3n}{n}$$

(Cxxvi)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i}{j}\binom{3n-j}{n}^2\binom{3j}{2n}=\binom{2n}{n}^2\binom{3n}{n}$$

(Cxxvii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{i+j}{j}\binom{2n-j}{n}^k\binom{3j}{2n}=\binom{3n}{n}$$

(Cxxviii)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}\binom{n+i}{n+j}=\binom{2n}{n}^2$$

(Cxxix)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{2n+j}{n}\binom{2j}{j}\binom{2j}{i-j}=\binom{2n}{n}^3$$

(Cxxx)

$$\sum_{i,j}(-1)^{i+j}\binom{n+i}{i}^2\binom{2n-j}{n}\binom{2n+i}{n}\binom{3n-j}{n}\binom{4n+1}{j-i}=\binom{2n}{n}^4$$

(Cxxxi)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{3n+j}{2n}\binom{n}{2j-i}=\binom{3n}{n}^2$$

(Cxxxii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{3n-j}{2n}\binom{n}{2j-i}=\binom{2n}{n}^2$$

(Cxxxiii)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{2n+j}{2n}\binom{n}{2j-i}=\binom{2n}{n}^2$$

(Cxxxiv)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{j}^2\binom{2n+j}{n}\binom{3n}{i-j}=\binom{2n}{n}^3$$

(Cxxxv)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{j}\binom{2n+j}{n}\binom{3n}{i-j}=\binom{2n}{n}$$

(Cxxxvi)

$$\sum_{i,j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}^2\binom{n+i}{n}\binom{2n+i}{n}\binom{n}{i-j}=\binom{2n}{n}^5$$

(Cxxxvii)

$$\sum_{k}\binom{n}{k}^4\binom{2n+k}{n}\binom{3n-k}{n}\binom{3n+k}{n}\binom{4n-k}{n}\binom{2k}{k}^{-1}\binom{2n-2k}{n-k}^{-1}\binom{2n}{2k}^{-1}=\binom{3n}{n}^2$$

The following sums are zero for odd n and the given value for even n.

(aa)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{n+j}{n}\binom{i+j}{n}\binom{3n+1}{i-j}=\binom{3n/2}{n/2}$$

(bb)

$$\sum_{i,j}(-1)^{i+j}\binom{2n-i}{n}\binom{2n-j}{n}\binom{2n}{j}\binom{2n+1}{i-j}=(-1)^{n/2}\binom{2n}{n}\binom{n}{n/2}$$

(cc)

$$\sum_{k}(-1)^{n/2+k}\binom{n}{k}\binom{n+k}{n}\binom{2n-k}{n}=\binom{3n/2}{n/2}\binom{n}{n/2}$$

(dd)

$$\sum_{k}(-1)^{n+k}\binom{n}{k}\binom{n+k}{n}\binom{2n-2k}{n-k}=\binom{2n/3}{n/3}\binom{4n/3}{2n/3}$$

if $3 \mid n$, 0 otherwise

(ee)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{3n-i}{n}\binom{2n-j}{n}\binom{n+i-j}{n}=(-1)^{n/2}\binom{2n}{n}\binom{n}{n/2}\binom{3n/2}{n/2}$$

(ff)

$$\sum_{i,j}\binom{n}{i}^2\binom{n}{j}^2\binom{2i}{n+j}\binom{3n-2i-j}{2n-j}=\binom{n}{n/2}^2$$

(gg)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{2i}{i-j}=\binom{n}{n/3}$$

if $3 \mid n$, 0 otherwise

(hh)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}^2\binom{n}{j}\binom{i+j}{n}=(-1)^{n}\binom{n}{n/2}$$

(ii)

$$\binom{2n}{n}\sum_{i,j}(-1)^{n+i}\binom{n}{i}\binom{i}{j}\binom{2n+i}{n}\binom{3n+i}{n}=\binom{3n}{n}\binom{2n}{n/2}$$

(jj)

$$\sum_{i,j}(-1)^{i+j}\binom{n}{i}\binom{n}{j}\binom{n+j}{n}\binom{2n-j}{n}\binom{i+j}{n}=(-1)^{n/2}\binom{n}{n/2}\binom{3n/2}{n/2}$$

(kk)

$$\sum_{i,j}(-1)^{j}\binom{n}{i}^2\binom{i+j}{n}\binom{n+i+j}{n}\binom{3n+1}{n-j}=\binom{2n}{n}\binom{n}{n/2}\binom{3n/2}{n/2}$$

Triple sums.

18.

$$A_n=\binom{2n}{n}\sum_{i,j,k}(-1)^{i+j}\binom{n}{i}^2\binom{n}{j}\binom{n}{k}\binom{i}{j}\binom{j}{k}\binom{n}{k-i}$$

19.

$$A_n=\sum_{i,j,k}\binom{n}{i}^2\binom{n}{j}^2\binom{n}{k}\binom{i}{j}\binom{j}{k}$$

$$A_n=\sum_{i,j,k}\binom{n}{i}^2\binom{n}{j}\binom{n}{k}\binom{i}{j}\binom{i}{k}\binom{2j}{n}$$

$$A_n=\sum_{i,j,k}\binom{n}{i}^2\binom{n}{j}\binom{n}{k}\binom{i}{j}\binom{i}{k}\binom{2k}{n}$$

26.

$$A_n=\binom{2n}{n}\sum_{i,j,k}\binom{n}{i}^2\binom{n}{j}\binom{n}{k}\binom{i}{j}\binom{j}{k}$$

$$A_n=\sum_{i,j,k}\binom{n}{i}^2\binom{n}{j}\binom{n}{k}\binom{i}{j}\binom{j}{k}\binom{2n+j-k}{n-k}$$

$$A_n=\sum_{i,j,k}\binom{n}{i}^2\binom{n}{j}\binom{n}{k}\binom{i}{j}\binom{j+k}{k}\binom{n+j}{n-k}$$

27.

$$A_n=\sum_{i,j,k}\binom{n}{i}^2\binom{n}{j}\binom{n}{k}\binom{i}{j}\binom{j}{k}\binom{2n-i}{n}$$

$$A_n=\sum_{i,j,k}\binom{n}{i}^2\binom{n}{j}\binom{n}{k}\binom{i}{j}\binom{j}{k}\binom{n+j-k}{j}$$

$$A_n=\sum_{i,j,k}\binom{n}{i}^2\binom{n}{j}\binom{n}{k}\binom{i}{j}\binom{j}{k}\binom{n+k}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n}{k} \binom{j}{k} \binom{n+i-j}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n}{k} \binom{i}{k} \binom{j+k}{n}$$

28.

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{n+i-k}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{i+j}{j}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{k} \binom{j}{k} \binom{j+j}{k}$$

29.

$$A_n = \binom{2n}{n} \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{i}{k}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n}{k} \binom{i}{k} \binom{n+i}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{2n+i-k}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{2n+i-k}{n-k}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{i+k}{k} \binom{n+i}{n-k}$$

101.

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{i+k}{k} \binom{n+j}{n-k}$$

189.

$$A'_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{i}{k} \binom{j+k}{k}$$

193.

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{n+k}{n} \binom{n+i}{n-k}$$

195.

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{i}{k} \binom{n+j+k}{j}$$

196.

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{n+j-k}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{i+k}{k}$$

197.

$$A_n = \sum_{i,j,k} \binom{n}{i} \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{i}{k} \binom{j}{k} \binom{j+k}{i}$$

198.

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{n+k}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{2n-i-k}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{2n-k}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n}{k} \binom{j}{k} \binom{i+k}{k}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j}^2 \binom{n}{k} \binom{i}{k} \binom{i+j}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{i}{k} \binom{n+j}{n}$$

202.

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{n+i-k}{n-k}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{i}{k} \binom{n+j-k}{n-k}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{2i}{k}$$

212.

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{i+k}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{i}{k} \binom{j+k}{n}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{n+i-k}{i}$$

$$A_n = \sum_{i,j,k} \binom{n}{i}^2 \binom{n}{j} \binom{n}{k} \binom{i}{j} \binom{j}{k} \binom{2n+i-k}{n}$$

Coefficients coming from Laurent polynoms.

Here *c.t.* means constant term.

1.

$$A_n = c.t. \left\{ (x+y+z+t+\frac{1}{xyzt})^{5n} \right\}$$

2.

$$A_n = c.t. \left\{ (x+y+z+t+\frac{1}{x^5y^2zt})^{10n} \right\}$$

3.

$$A_n = c.t. \left\{ \begin{array}{c} (x(1+\frac{1}{y}+\frac{1}{z}+\frac{1}{t}+\frac{1}{yz}+\frac{1}{yt}+\frac{1}{zt}+\frac{1}{yzt}) \\ +\frac{1}{x}(1+y+z+t+yz+yt+zt+yzt))^{2n} \end{array} \right\}$$

4.

$$A_n = c.t. \left\{ \frac{1}{x}(1+y+z+t+yt+zt) + \frac{x^2}{t}(\frac{1}{y}+\frac{1}{z}+\frac{1}{t}))^{3n} \right\}$$

5.

$$A_n = c.t. \left\{ (\frac{1}{x}(1+y+z+t+yz+zt) + \frac{x^2}{yz}(1+\frac{1}{t}))^{3n} \right\}$$

6.

$$A_n = c.t. \left\{ (x+y+z+t+\frac{1}{xyz}+\frac{1}{xyt})^{4n} \right\}$$

7.

$$A_n = c.t. \left\{ (x+xy^2+xz^8+xt^4+\frac{1}{x^7y^8z^8t^4})^{8n} \right\}$$

8.

$$A_n = c.t. \left\{ (x+y+z+t+\frac{1}{x^2yzt})^{6n} \right\}$$

10.

$$A_n = c.t. \left\{ (\frac{1}{x}+\frac{x}{y}+\frac{z}{x}+\frac{t}{x}+\frac{xt}{y}+\frac{xz}{y}+\frac{xy}{zt}+\frac{y^2}{xzt})^{4n} \right\}$$

11.

$$A_n = c.t. \left\{ (\frac{1}{x}+\frac{x}{y}+\frac{z}{x}+\frac{t}{x}+\frac{xt}{y}+\frac{xz}{y}+\frac{y^2}{xzt})^{4n} \right\}$$

12.

$$A_n = c.t.\left\{(x+y+z+t+\frac{1}{xyzt}(\frac{1}{x}+\frac{1}{y}))^{6n}\right\}$$

14.

$$A_n = c.t.\left\{(x+y+z+t+\frac{1}{x^3y}(\frac{1}{z}+\frac{1}{t}))^{6n}\right\}$$

16

$$A_n = c.t.\left\{(x+y+z+t+\frac{1}{x}+\frac{1}{y}+\frac{1}{z}+\frac{1}{t}))^{2n}\right\}$$

24.

$$A_n = c.t.\left\{(x+y+z+t+\frac{1}{t}(\frac{1}{x}+\frac{1}{y}+\frac{1}{z})+\frac{1}{xyzt^2})^{3n}\right\}$$

25.

$$A_n = c.t.\left\{\begin{array}{c} (\frac{1}{x}+\frac{1}{x}(y+z+t)+x(\frac{1}{y}+\frac{1}{z}+\frac{1}{t}) \\ \frac{1}{x}(yt+yz+zt)+x(\frac{1}{yz}+\frac{1}{yt}+\frac{1}{zt})+\frac{x}{yzt})^{2n} \end{array}\right\}$$

26.

$$A_n = c.t.\left\{(x+y+z+t+\frac{1}{x}+\frac{1}{y}+\frac{1}{z}+\frac{1}{t}+\frac{y}{xt}+\frac{z}{xt}+\frac{t}{yz})^{2n}\right\}$$

29.

$$A_n = c.t.\left\{\begin{array}{c} (\frac{1}{x}+\frac{x}{y}+\frac{y}{x}+\frac{x}{z}+\frac{z}{x}+\frac{x}{t}+\frac{t}{x} \\ +\frac{x}{yz}+\frac{yz}{x}+\frac{x}{yt}+\frac{yt}{x}+\frac{zt}{x})^{2n} \end{array}\right\}$$

42.

$$A_n = c.t.\left\{(x+y+z+t+\frac{1}{x}+\frac{1}{y}+\frac{1}{z}+\frac{1}{t}+\frac{zt}{x}+\frac{1}{yzt})^{2n}\right\}$$

51.

$$A_n = c.t.\left\{(x+y+z+t+\frac{1}{t^2}(\frac{1}{x}+\frac{1}{y}+\frac{1}{z})+\frac{1}{xyzt^4})^{3n}\right\}$$

70.

$$A_n = c.t.\left\{(x+y+z+t+\frac{1}{t}(\frac{1}{x}+\frac{1}{y}+\frac{1}{z}))^{3n}\right\}$$

$\widetilde{\mathbf{101}}$.

$$A_n = c.t.\left\{(\frac{1}{x}+xy+\frac{1}{xy}+\frac{y}{z}+\frac{z}{y}+\frac{y}{t}+\frac{t}{y}+\frac{y}{zt}+\frac{zt}{y}+\frac{z}{xy}+\frac{t}{xy}+\frac{y}{xzt}))^{2n}\right\}$$

185.

$$A_n = c.t.\left\{(x+y+z+t+\frac{1}{t}(\frac{1}{xz}+\frac{1}{xy}+\frac{1}{yz}))^{2n}\right\}$$

206.

$$A_n = c.t.\left\{\begin{array}{c} (x+y+z+t+\frac{zt}{y}+\frac{1}{x}(\frac{y}{z}+\frac{z}{y}+\frac{y}{t}+\frac{t}{y}) \\ +\frac{1}{x^2}(\frac{1}{y}+\frac{1}{z}+\frac{1}{t})+\frac{1}{x^2zt}(y+\frac{1}{x}))^{2n} \end{array}\right\}$$

209.

$$A_n = c.t.\left\{ \begin{array}{c} (x(\frac{1}{y}+\frac{1}{z}+\frac{1}{t}+\frac{1}{yz}+\frac{1}{yt}+\frac{1}{zt}+\frac{1}{yzt}) \\ +\frac{1}{x}(1+y+z+t+yz+yt+zt+yzt))^{2n} \end{array} \right\}$$

214.

$$A_n = c.t.\left\{ \begin{array}{c} (x(\frac{1}{y}+\frac{1}{z}+\frac{1}{t}+\frac{1}{yz}+\frac{1}{yt}+\frac{1}{zt}) \\ +\frac{1}{x}(1+y+z+t+yz+yt+zt+yzt))^{2n} \end{array} \right\}$$

218.

$$A_n = c.t.\left\{(\frac{1}{xy}+\frac{x}{z}+\frac{z}{x}+\frac{x}{t}+\frac{t}{x}+\frac{xy}{z}+\frac{z}{xy}+\frac{xy}{t}+\frac{t}{xy}+\frac{zt}{x}+\frac{x}{zt}+\frac{x}{yzt}+\frac{yzt}{x})^{2n}\right\}$$

287.

$$A_n = c.t.\left\{(\frac{1}{x}+\frac{y}{x}+\frac{x}{z}+\frac{z}{x}+\frac{x}{t}+\frac{t}{x}+\frac{x}{yz}+\frac{yz}{x}+\frac{x}{yt}+\frac{yt}{x}+\frac{zt}{x}+\frac{x}{yzt}+\frac{yzt}{x})^{2n}\right\}$$

308

$$A_n = c.t.\left\{(x+y+z+t+\frac{1}{x}+\frac{1}{y}+\frac{1}{z}+\frac{x}{yz}+\frac{y}{xt}+\frac{z}{xt}))^{2n}\right\}$$

309.

$$A_n = c.t.\left\{ \begin{array}{c} (x(\frac{1}{y}+\frac{1}{z}+\frac{1}{t}+\frac{1}{yz}+\frac{1}{yt}+\frac{1}{yzt}) \\ +\frac{1}{x}(1+y+z+t+yz+yt+zt+yzt))^{2n} \end{array} \right\}$$

References.

1.G.Almkvist, C.van Enckevort, D.van Straten and W.Zudilin, *Tables of Calabi-Yau equations,* math.AG/0507430, (2005).

2.G.Almkvist, C.Krattenthaler, *Some harmonic sums related to Calabi-Yau differential equations, in preparation.*

3.G.Almkvist and W.Zudilin, *Differential equations, mirror maps and zeta values,* math.AG/0507430

4.W.Zudilin, *Approximation to -, di- and trilogarithms,* math.CA/0409023.

Math. Dept.
Univ. of Lund
Box 118
22100 Lund, Sweden
gert@maths.lth.se